



Halifax Regional
School Board

TENDER #3630

DUST COLLECTION SYSTEM COLE HARBOUR DISTRICT HIGH

Closing Date: ***TUESDAY, FEBRUARY 25, 2014***
Closing Time: ***2:00:00 P.M.***
Opening Time: ***2:00:00 P.M.***

Closing Location:

Halifax Regional School Board
33 Spectacle Lake Drive
Dartmouth, N.S.
B3B 1X7

HRSB Contacts:

Deborah Beck, Buyer
Tel: (902) 464-2000 #2011
Fax: (902) 464-0161

Project Location:

COLE HARBOUR DISTRICT HIGH
2 Chameau Crescent
Cole Harbour NS B2W 4X4

Chris Northrup, HRSB Manager Special Projects
Tel: (902) 464-2000 #5116
Fax: (902) 464-5581

A mandatory bidders' site meeting is scheduled for WEDNESDAY, FEBRUARY 19TH, 2014 3:00 P.M. All bidders are to meet in the front lobby of COLE HARBOUR DISTRICT HIGH.

To obtain documents:

Download tender documents in .pdf format from the School Board's Website: www.hrsb.ns.ca "Quick Links/Ask About Tenders".

The Halifax Regional School Board encourages equity and affirmative action programs.

Table of Content

	Page
1.0 Instructions to Bidders	3
1.1 Conditions of Tender	4
1.2 Other Requirements	7
1.5 The Contract	11
2.0 Scope of Work	13
3.0 Contractor’s Information Sheet	23
3.3 Sub Contractor List	24
3.5 Schedule of Prices	26
3.7 Proposed Fixed Price	27
SAMPLE CONTRACT (DO NOT RETURN SAMPLE CONTRACT WITH BID DOCUMENTS)	
Schedule “A” Sample Agreement for Supply of Services	29
Appendix “A” Terms and Conditions	31
Appendix “B” Insurance and Risk	42
Appendix “C” Description of Service	48
Appendix “D” Undertaking to Comply & Safety Checklist	51
SAFETY PLAN/CONTRACTOR’S CHECK LIST	
Appendix “E” Project Safety Plan Outline	56
Appendix “F” Contractor’s Check List	61
MCW Scope of Work	62
Drawings & Specifications	64
Dust Collection Request Form.....	68

NOTICE OF INTENT

Public tender openings will no longer be held for any tenders relating to goods, services or construction for HRSB as of April 1 2014. A list of bidders and bid amounts will be posted on the Procurement Services website (<http://novascotia.ca/tenders/tenders/ns-tenders.aspx>) shortly following the closing of the tender. All bid submissions are subject to evaluation after opening and before award of contract. The winning bidder and award amount will be posted on the Procurement Services website (<http://novascotia.ca/tenders/tenders/ns-tenders.aspx>) after evaluation.

1.0 **GENERAL**

The Halifax Regional School Board is seeking bids from qualified suppliers/contractors for the supply of materials, labour, equipment and services required to install owner supplied DUST COLLECTION SYSTEM at COLE HARBOUR DISTRICT HIGH, 2 Chameau Crescent, Cole Harbour, Nova Scotia.

1.1 **INSTRUCTIONS TO BIDDERS**

**TENDER
SUBMISSION:**

- (a) Sealed Bids will be received by:

Halifax Regional School Board
33 Spectacle Lake Drive
Dartmouth, N.S.
B3B 1X7

Until **2:00:00 P.M., FEBRUARY 25, 2014**, (as verified by the phone clock on the Commissionaire's desk at 33 Spectacle Lake Drive) for the following projects:

***TENDER #3630 DUST COLLECTION SYSTEM – COLE HARBOUR
DISTRICT HIGH***

Should the School Board Office be closed for any reason the tender closing will be postponed to the next business day.

- (b) Submit one copy of the original tender on the enclosed tender form. Each item on the form must be completed unless noted otherwise. Bids must be signed by an authorized representative of the Suppliers/Contractors. Incomplete bids will be rejected. Bids must be submitted on or before the advertised time and date in a sealed envelope clearly marked:

***TENDER #3630 DUST COLLECTION SYSTEM – COLE HARBOUR
DISTRICT HIGH***

- (c) It is the responsibility of the bidder to ensure their submissions are received on time. Faxed bids will not be accepted.

- (d) Addenda must be issued by the Board no less than three (3) business days before tender closing. Addenda cover letters shall be signed and attached to the tender documents.

1.2 **CONDITIONS OF TENDER**

- (a) No term or condition shall be implied, based upon any industry or trade practice or custom or in a practice or policy of the Board or otherwise, which is inconsistent or conflicts with the provisions contained in these instructions.
- (b) Any changes to this tender or specifications shall be stated by the Board in writing. All correspondence, inquiries, instructions, etc. in connection with the work shall be made through the office of the Halifax Regional School Board, c/o Manager of Accounting & Purchasing or representative.
- (c) Tender price must include freight, duty, and all taxes, rates and charges, which are applicable at the time the contract is awarded. It is the responsibility of the bidder to find out from the appropriate authorities what taxes, rates and charges are applicable to this tender.
- (d) The Contractor is responsible for obtaining all provincial, municipal and other permits as required for the work, and shall adhere to all regulations from regulatory bodies, including the National Building Code, 2005. They shall pay all fees for these permits. Sub-trades are responsible for obtaining permits and following regulations as they affect their work.
- (e) Invoices shall be submitted to: Halifax Regional School Board
c/o Operations Services Coordinator-Maintenance
33 Spectacle Lake Drive,
Dartmouth, NS B3B 1X7

Contact information to be supplied to the successful bidder as part of the award confirmation.

Payment: Payment terms will be considered as Net 30 days from date of invoice.

- (f) Bidders or their employees must not be employees of the Halifax Regional School Board.
- (g) The bidder must comply with Nova Scotia Fire Safety Act and all Municipal Regulations, Ordinances and other laws including the Occupational Health and Safety Act.
- (h) Persons or firms submitting tenders shall be actually engaged in the line of work required by the specifications.
- (i) When applicable, a bidder shall list, in the space provided in Section 3.3, the names of the sub-contractors they propose to use with each sub-contractor's tender price. A change in sub-contractors from this list will require permission in writing from the Board.
- (j) Except as the specifications may be modified by Addenda, the successful

contractor will be held to furnish under this tender all work as specified.

- (k) The contractor shall save, defend, and indemnify the Halifax Regional School Board against all costs which the School Board may sustain or incur by reason of any act or omission of the contractor or its' agents or sub contractors.
- (l) Property loss and/or damage that occurs during the course of work or caused by negligence on the contractors part during the course of the work shall be reported by HRSB Operations Services to the School Insurance Program (SIP) office. Adjusters may be assigned to manage restoration of damaged, defaced or stolen HRSB property. HRSB and/or its insurer reserve the right to assign management of restoration to the adjuster. The contractor shall be responsible for all costs to repair or replace any School Board property, which has been damaged, defaced or stolen during the course of work.
- (m) The term of the contract will be from date of award until ***FOUR WEEKS AFTER DELIVERY OF DUST COLLECTOR TO THE SCHOOL.***
- (n) Where the Tender Documents stipulate a particular product, written requests for substitutes will be considered by the Board up to five (5) business days prior to the tender closing date. Such requests shall be accompanied by complete descriptive and technical information including MSDS so that a proper evaluation can be made.

When a request for approval of a product is made, the Board may grant approval and will attempt to issue an Addendum to this effect to known bidders. However, HRSB assumes no liability for the delivery of electronic transmissions.

All products used in the course of this work are to be used, stored, and maintained as per the instructions written on the MSDS sheet.

- (o) Time and Material costs must be provided as listed in Section 3.6
- (p) **Unique Logistics**
Completely describe how your Tender will respond to the unique logistics of each school or administrative site as set out in the Project Scope and fully describe, in the same manner, all items of equipment, service, and support you will provide to respond to those logistics and all pricing and other matters relating to them.
- (q) **HRSB Discretion**
The Bidder hereby acknowledges that:
 - a) HRSB shall have the right to reject any or all Tenders for any reason, or to accept any tender which HRSB in its sole, unrestricted discretion deems most advantageous to it. The lowest, or any, Tender will not necessarily be accepted and HRSB shall have the unrestricted right to:
 - i) accept any Tender, and in the event it only receives informal, non-conforming or qualified Tenders with respect to this Tender, accept any

- such Tender; or
- ii) Accept a Tender that is not the lowest price;
 - iii) Reject a Tender that is the lowest price even if it is the only tender received;
 - iv) Reject any Tender that contains any irregularities, informalities, conditions or qualifications;
 - v) Reject any Tender that is not accompanied by the required tender security documents;
 - vi) Reject any Tender that is not properly signed by or on behalf of the Bidder;
 - vii) Reject any Tender that contains an alteration in a quote that is not initialed by or on behalf of the Bidder;
 - viii) Reject any Tender that is incomplete or ambiguous; or
 - ix) Reject any Tender that does not strictly comply with other requirements contained in these instructions.
- b) HRSB reserves the right to consider, during the evaluation of Tenders:
- i) Information provided in the Tender itself;
 - ii) Information received in response to enquiries of credit and industry references set out in the Tender;
 - iii) The manner in which the Bidder provides services to others;
 - iv) The experience and qualification of the Bidder;
 - v) The compliance of the Bidder to HRSB's requirements and specifications;
 - vi) Such alternate goods, services, terms or conditions that may be offered, whether such offer is contained in a Tender or otherwise,
 - vii) Splitting the Tender and Project Scope into multiple parts and accepting Tenders (or portions thereof) from more than one Bidder;
 - viii) Rejecting Bidder's recommendation of a Subcontractor or any other third party associated with the Tender and jointly along with the Bidder, determine alternate acceptable third parties; and
 - ix) Any other consideration in HRSB's discretion;
- c) HRSB may rely upon the criteria it deems relevant, even if such criteria has not been disclosed to Bidder. By submitting a Tender, the Bidder acknowledges the HRSB's rights under this Section and absolutely waives any right or cause of action against HRSB and its employees, agents or Trustees by reason of HRSB's failure to accept the Tender submitted by the Bidder, whether such right or cause of action arises in contract, tort including negligence or otherwise; and
- d) HRSB shall not at any time have any obligation to deal exclusively with the Bidder. HRSB expressly reserves its rights, in its sole discretion, to seek a

Tender regarding the subject matter hereof, from any person whomsoever and at any time.

(r) **Limitation of Liability**

Bidder, by submitting a bid to this Tender, agrees that it will not claim damages, costs or expenses for whatever reason, relating in any way to this Tender and any resulting process (including without limitation any subsequent discussions or negotiations, if any, or in respect of any competitive process) and waives any and all claims against HRSB whatsoever, whether for costs, damages or expenses incurred by Bidder in preparing its Tender, in participating in this tender process (including without limitation any subsequent discussion or negotiation, if any), loss of anticipated profit or any other matter whatsoever related to this tender and any resulting process, discussions or negotiations.

(s) **Construction Contract Guidelines**

The Halifax Regional School Board acknowledges and complies with the **Nova Scotia Transportation and Public Works Construction Contract Guidelines**.

1.3 **OTHER REQUIREMENTS**

- (a) The bidder must provide with the submitted tender document a certificate indicating the completion of the Nova Scotia Construction Safety Association's Construction Safety Program or other WCB approved safety audit company that jointly sign the Certificate of Recognition with the WCB.
- (b) The bidder must provide with the submitted tender document a letter showing they are in good standing with the Worker's Compensation Board.
- (c) The bidder must provide with the submitted tender document a tentative schedule indicating timelines for completion of works. **Upon award of work, the successful bidder shall provide within three (3) business days a schedule clearly indicating timelines for completion of all aspects of the project. Shop drawings/samples must be returned to HRSB for Consultant's review within five (5) days upon award.**
- (d) The bidder must provide with the submitted tender document, an insurance certificate showing proof of:
- (i) Commercial General Liability insurance, including but not limited to, products liability and completed operations, contractual liability, owners and contractors liability, attached machinery extensions, endorsement, independent contractor, for a combined single limit of no less than **\$5,000,000** per occurrence; Builder's Risk Insurance in the amount of the Contract Price.
 - (ii) Commercial Auto Liability insurance covering all owned, non-owned and hired vehicles for a minimum combined single limit of \$2,000,000 per occurrence; and
 - (iii) It is also agreed that the above insurance coverage is primary.

Upon award, the bidder shall secure and maintain the insurance as noted above at its expense during the term of the contract.

The Halifax Regional School Board must be named as additional named insurance pertaining to the work for this project. Furthermore, Halifax Regional School Board must receive at least thirty (30) days notice of cancellation or modification of the above insurance. Bidders shall at all times keep in force insurance as may be required.

(e) **BID SECURITY**

The bidder **MUST** provide with the submitted tender document **Bid Security** in the amount of **ten percent (10%) of the Contract Price** (before HST) in the form of a Certified Cheque, Irrevocable Standby Letter of Credit or Bid Bond payable to, or naming the Halifax Regional School Board.

BID BONDS *must be provided by a surety company licensed to issue surety bonds in the Province of Nova Scotia:*

- Provide bond on the standard CCDC Bid Bond Form, latest version, in the amount of not less than **ten percent (10%) of the Contract Price (before HST)**.
- Bid Bonds, submitted by the general contractor bidder, signed and sealed by the principal (Contractor) and Surety and shall be with an established Surety Company satisfactory to and approved by the Halifax Regional School Board.
- Where a Bid Bond is used as Bid Security, include the cost of providing the Bid Bond in the Tender Contract price.

Where **CERTIFIED CHEQUE or BANK DRAFT** is provided as bid security:

- Provide a certified cheque or bank draft, endorsed in the name of the Halifax Regional School Board, for a **sum not less than ten percent (10%) of the amount of the Contract Price (before HST)**.
- Where certified cheque or bank draft is used as Bid Security, include the cost in the Contract price.

Where the **IRREVOCABLE STANDBY LETTER OF CREDIT** is used as bid security:

- Provide an Irrevocable Standby Letter, endorsed in the name of the Halifax Regional School Board, for a **sum not less than ten percent (10%) of the Contract Price (before HST)**.
- The Irrevocable Standby Letter of Credit shall be issued by a certified financial institution subject to the Uniform Custom and Practices for Documentary Credit (1993 revision or latest revision) International Chamber of Commerce (Publication No. 500).
- Where Irrevocable Standby Letter of Credit is used as bid security, include the cost in the Tender Contract Price.

RETURN OF BID SECURITY:

- The bid security of the unsuccessful bidders will be returned to them after the contract has been signed, or previous to such time, at the discretion of the Halifax Regional School Board. The above shall apply provided a contract is awarded within sixty (60) days from the closing date of the bid. If no contract is awarded, all bid security will be returned.

(f) **CONTRACT SECURITY (ONLY REQUIRED FOR BIDS OVER \$100,000)**

For bids over \$100,000 bidders must provide **Contract Security by a surety company licensed to issue surety bonds in the Province of Nova Scotia** in the form of one of the following:

- Letter of Surety.
- Performance Bond and a Labour and Material Payment Bond OR
- Certified Cheque or Bank Draft OR Irrevocable Letter of Credit bearing the bidder's original signature, payable to or naming the Halifax Regional School Board as insured.

Bidder shall maintain performance assurance in force for a period of not less than twelve (12) months after the issue of the substantial performance certificate certified by Halifax Regional School Board and until completion of the contract.

Should it become apparent that the final cost of the project will **exceed the total amount payable by more than 10%**, the bidder shall arrange to have their bonds reissued based on the projected final cost.

Where a **LETTER OF SURETY** was used as **CONTRACT SECURITY**:

- Within ten (10) days after notification of award of the Contract, provide a Performance Bond and a Labour & Material Payment Bonds each in an amount **equal to fifty percent (50%) of the Contract Price (before HST)**, naming the Halifax Regional School Board.
- Performance Bond and Labour and Material Payment Bonds, submitted by the bidders, shall be provided at the expense of the bidder and shall be with an established Surety Company satisfactory to and approved by the Halifax Regional School Board.
- Include the cost of providing the Performance Bond and Labour and Material bond in the Contract price.

Where a **CERTIFIED CHEQUE OR BANK DRAFT** is used as **CONTRACT SECURITY**:

- The Certified Cheque or Bank Draft submitted during the bid period will be cashed and the amount retained by the Halifax Regional School Board shall serve as Performance Assurance, including the payment of all obligations arising under the Contract.
- The Certified Cheque or Bank Draft will be held in lieu of the Performance Bond and Labour and Material Bonds, providing that, at Contract award, the successful Bidder shall supplement their Certified Cheque or Bank Draft to maintain an amount of **twenty (20%) of the Contract price (before HST)** under the contract.
- The amount remaining will be returned without interest after a period of not less

than twelve (12) months after the issue of the substantial performance certificate certified by the Halifax Regional School Board and shall serve as performance assurance until completion of the contract.

- Where certified cheque or bank draft is used as Performance Assurance, include the cost of providing the certified cheque in the Contract price.

Where **an IRREVOCABLE STANDBY LETTER OF CREDIT** is used as **CONTRACT SECURITY**:

- The Irrevocable Standby Letter of Credit for a sum not less than **ten percent (10%) of the Contract price (before HST)** submitted during the bid period will be retained by the Halifax Regional School Board and shall serve as performance assurance, including the payment of all obligations arising under the contract. The irrevocable standby letter of credit shall be issued by a certified financial institution subject to the Uniform Customs and Practices for Documentary Credit (1993 revision) International Chamber of Commerce (Publication No. 500).
 - Where irrevocable standby letter of credit is used as Performance Assurance, include the cost of providing and Irrevocable Standby Letter of Credit in the Contract Price. The contractor shall provide to the Halifax Regional School Board documentation throughout the duration of the contract that the irrevocable standby letter of credit remains in full effect at all times as specified.
 - Upon expiry of the Irrevocable Standby Letter of Credit, a separate Irrevocable Standby Letter of Credit shall be provided for work requiring extended warranties for such amounts as are required by the contract.
- (g) The bidder must provide with the submitted tender document a completed copy of Appendix “E” Safety Plan information sheet. The contractor prior to commencement of work must have a safety plan in place for use by the contractor personnel regarding potential hazards and work practices specific to the site.
- (h) ***HRSB is directly responsible for the safety of its students and staff. Should contractors be required to work in or on school property while children are present, it is a MANDATORY HRSB REQUIREMENT that contractors assign the work to employees and/or sub-contractors who DO NOT have a CRIMINAL RECORD and who ARE NOT LISTED ON THE CHILD ABUSE REGISTRY. By checking the “Agreed” box at the bottom of clause 3.4 below you are confirming that you understand and will abide by this mandatory HRSB requirement. Failure to comply with this requirement may result in immediate contract termination.***
- (i) Contractors must submit warranty information with the tender bid submission and successful bidders must submit all appropriate warranty documents with final payment invoice.
- (j) Bidders are advised that, as per the Halifax Regional School Board Tobacco Free Schools and Workplace Policy, the HRSB endorses and supports implementation of the Nova Scotia Smoke Free Places Act 2002, which prohibits tobacco possession for persons

under the age of 19 and declares that no person shall smoke in schools, school board offices or on school grounds.

1.4 **AMENDMENTS OR WITHDRAWAL OF TENDER PRIOR TO BID CLOSING**

- (a) Tender may be amended or withdrawn **by post or facsimile (902) 464-0161** PRIOR to Tender Closing date and time.
- (b) Clearly indicate on the fax transmission or submitted envelope, whether your correspondence is an amendment or withdrawal and the title of the Tender. Sign and seal as required for tender, and submit at address listed under closing location on the cover of this document.

1.5 **THE CONTRACT**

1.5.1 Binding Effect of Proposal and Contract Finalization

The Bidder hereby acknowledges that its Tender constitutes a contract with HRSB, and the terms and conditions of this Tender and the bidder response (with the Tender taking precedence in the event of any inconsistency or conflict of terms) shall govern such agreement. Such contract shall remain binding upon Bidder until the earlier of:

- a) Written notice from HRSB that the Bidder's Tender is rejected as unsatisfactory; or
- b) Issuance by HRSB of its PO to the Bidder with respect to this Tender, pursuant to Section 1.2(p), and upon such issuance, the Bidder shall be regarded as the Contractor hereunder; or
- c) Execution of the Contract by both HRSB and the Bidder pursuant to Section 1.2(p); or
- d) Written notice from HRSB that it has entered a Contract with a Contractor and that the Bidder has been unsuccessful under this Tender.

1.5.2 Contract Documents

1.5.2.1 The attached form of contract (Schedule A) is a version that shall be issued to or executed by the successful bidder pursuant to the terms and conditions of this Tender. It is NOT TO BE executed and returned by the bidder as part of its (proposal or Tender response).

1.5.2.2 After the contract has been awarded and signed, the contractor will be contacted by the appropriate Regional Manager to attend a site visit to complete Appendix D of the contract – ‘Undertaking to Comply and Contractors Safety Checklist’ prior to the commencement of any work.

1.5.2.3 The Contract the Contractor will have with the HRSB, if awarded, will include:

- a) Such further documentation as may be negotiated and executed by the HRSB and the Contractor pursuant to Section 1.2(p); and

- b) This Tender and all of its Schedules, including without limitation any PO issued by HRSB to the Contractor, and any revisions, amendments or additional documents made thereto, if any; and
- c) The Tender, in its entirety and all promises made in the tender will be deemed covenants in the Contract and all information, representations and warranties made in the Tender will be deemed terms, representations and warranties of the Contract surviving the signing or issuance by HRSB of any additional or formal documents prepared by the HRSB.

1.5.2.4 For the purposes of evaluation and interpretation of Tenders, in the case of conflicts, discrepancies, errors or omissions between this Tender and any documentation issued or executed pursuant to Section 1.5.1, and the Tender, this Tender and such documentation shall take precedence over the Bidder response.

1.6 Your Contractual Terms

- 1.6.1 List separately any contractual terms which must be included as part of the Contract if awarded to you and which would be a condition to HRSB's acceptance of your bid.
- 1.6.2 List separately any contractual terms which you would like the HRSB to consider but which would not be a condition to the acceptance by the HRSB of your bid and which would only be part of the Contract with the HRSB with the specific further agreement of the HRSB.

2.0 SCOPE OF WORK

- (a) Location: Cole Harbour District High School, 2 Chameau Crescent, Cole Harbour, NS.

Dust Collection System Remediation for Cole Harbour District High School, for the installation of one (1) only owner supplied dust collector (c/w silencer, flameless vent, accessories) as well as required work described in contract drawings M-101; M-102; E-101 and E-102 prepared by MCW Maricor.

- (b) School/Work site access control: **Contractor's employees shall always report to the main office of a school, indicate who they are and state their purpose on site prior to starting any work in the school.** Contractor is not permitted to work on the school site without HRSB assigned representative on site unless authorized by HRSB Manager of Operations.

The outside work area shall be appropriately demarked and/or surrounded by a barrier to prevent unauthorized entry to the work area. All workers shall contain their activity to the work site area. The contractor shall only use the school staff designated washroom and lunchroom facilities. Access to the school shall only be allowed as planned in coordination with HRSB Operations and the school administration.

The contractor and sub-contractor employees shall maintain professional and courteous behaviour, including work and communications practices, at all times on the project site. Communications and work shall be conducted so as to minimize the effect on regular school occupants and their activities.

- (c) Project/Safety Coordination: The contractor shall provide to HRSB within one week of award of contract a fixed schedule for all aspects of completion of work. The safety plan outline provided with this document must be posted on site during the execution of work and will be accessible to all workers on the site.

Where applicable, a **hot work permit** will be required to be completed prior to commencement of work and all conditions of the permit must be maintained until completion of hot work. A copy of the hot work permit signed by the contractor representative shall be provided to HRSB upon completion of each hot work session. Contractor must assign a designated fire watch as noted on the permit document who shall remain on site for three hours after completion of each hot work session.

The contractor will provide access to the work site and safety plan for inspection by HRSB Operations Services administration, HRSB health and safety Manager, consultants, regulatory inspectors as may occur throughout the duration of the project.

All necessary project coordination communications between project personnel and HRSB or site administration shall be from the project foreman/supervisor through the school principal and/or the Manager of Operations.

- (d) Hours of work - All work shall be carried out during **regular working hours** unless otherwise indicated in writing by the Manager of Operations Services or a designate.

Hours of work shall comply with local ordinances and bylaws for each site.

- (e) **Site Material Control:** The contractor shall be responsible for storage of all materials required to complete the renovation. The school shall not be used for storage of materials unless otherwise approved by the principal and manager of Operations Services. Any requirement for modifications to the building in order to allow delivery and installation of the new equipment is the responsibility of the contractor.

The contractor is responsible for security of all project materials and access to the project site and/or the school through the project site at all times until completion of work and acceptance of the finished project by HRSB. Such additional security costs for security personnel or other means of security as deemed necessary by the contractor will be the sole responsibility of the contractor.

The contractor shall keep the work site free from accumulated debris caused by the employees or work and shall remove all debris at the end of each work shift. Debris shall not be deposited in HRSB controlled garbage and/or recycling containers.

All waste materials and debris created during demolition and/or construction shall be disposed of in a dumpster provided by the contractor, to be removed at the end of the construction project, using a methodology that is in compliance with the applicable HRM solid waste by laws. Otherwise, the material must be removed and disposed of off site at the end of each working day. The waste materials may not be stored on site unless they are held in an approved project dumpster.

All temporary structures such as portable washroom facilities, materials storage trailer, work trailer, debris dumpster, vehicles, etc., shall be located a minimum of (25) twenty-five feet from the school building.

- (f) 1 Contractor is advised that the building will be occupied when work on this project takes place. Contractor to verify all areas of construction are secured and air tight partitioned to ensure that the health and safety of the students and staff are maintained during the construction period.

2 Temporary Construction Utilities & Closures:

Contractor to erect and maintain 'dust-tight' barriers as noted. Prior to start-up, the 'dust-tight' separations must be in place as noted and reviewed by HRSB Project Manager and the Consultant. 'Dust-tight' enclosure will be reviewed during the course of construction. Contractor must maintain the current lighting levels, heating and ventilation standards in place.

3 Interior Closures and Construction Areas:

3.1 For interior/interior locations provide the following:

3.1.1 Gypsum board both sides to 9'-4", AFF.

3.1.2 3 5/8 metal stud at 16" o.c., extend every 4th stud to underside of OWSJ.

3.1.3 Provide 10ml poly from top of gypsum board to u/s deck, sealed at the top of the wall to underside of deck.

3.1.4 Provide negative pressure within the construction space exhausted to the exterior.

- 3.2 Tarps are not to be used in lieu of the described closures.
- 3.3 Construction Access & Storage:
 - 3.3.1 Proper access to the area and storage of materials to be provided by the owner.
 - 3.3.2 Location to be determined by Project Manager on site.
- 3.4 Provide and maintain fire protection equipment during performance of the work as required by insurance companies, authorities having jurisdiction and governing codes, regulations and by-laws. Ensure no access is blocked for this purpose.
- 3.5 Contractor to coordinate a staging area for the Subcontractors for equipment, tools and material storage. Locate trailers and/or lockable waterproof sheds on site as per HRSB Project Manager's instructions.
- 3.6 Provide sanitary facilities in accordance with local authority having jurisdiction.

4 Indoor Environmental Protection:

- 4.1 There are several sources of potential contamination during a construction/renovation project. These include:
 - 4.1.1 Demolition Activities:
 - 4.1.1.1 Demolition activities release dust and fibrous materials into the air. Asbestos control is essential. Insulation in ceilings and walls, and ceiling tile all have a high fiber content that may produce substantial fibrous materials during demolition. Total suspended particulate levels may be very high with a significant portion of the total being of the respirable particle sizes.
- 4.2 Construction:
 - 4.2.1 Construction introduces additional dust and fibrous materials. Many construction materials used today emit a range of volatile organic compounds, especially formaldehyde. All glues, vapours, and gases rise from solvents used to prepare surfaces for bonding, and emissions from welding and soldering can introduce a range of metals into the air.
- 4.3 Finish Work and Materials:
 - 4.3.1 Final finishing and decorating of the renovated spaces can introduce strong odours and more VOCs. Solvents, paints and varnishes, and adhesives and other glues all add to the accumulation of these irritating compounds.
- 4.4 The Contractor shall ensure site clean up is carried out at the end of each working day. This includes partially used containers of solvents, paints, caulking, adhesives, and ensuring that these are removed from the site. All construction debris shall be removed from the site at the end of each day, either to an approved dumpster outside the building, or removed completely from the property.

5 Preparation:

- 5.1 Inspect perimeter partitions of the construction area, above the ceiling and seal all penetrations above and below the ceiling. Carefully remove the minimum number of ceiling tiles necessary to perform the inspection and the work of sealing the partitions. HEPA vacuum above remaining ceiling tiles and grid and above existing ductwork to remove loose dust prior to removal.
- 5.2 Install new temporary 'dust tight' walls and include details of the plans for location.

- 5.3 Seal all doors leading to construction areas.
- 5.4 Any existing perimeter partitions of the construction area that do not extend to the underside of deck, Contractor to extend to ensure dust-free light area between the construction area and the remainder of the school.
- 5.5 Before any construction begins, doors between the rooms where work is being carried out and the adjacent corridor must be carefully sealed. Seal the doors completely at top, bottom, and sides. All vents, ducts, openings, etc. to be sealed. Do periodic inspections to ensure seals remain tight. Provide written information to the Project Manager.
- 5.6 Negative Pressure: Implement a system that extracts air directly from the work area, and discharges this air directly outside the work area to the outside of the building. All exhausted air is to pass through a HEPA filtering system before discharge to exterior. Place negative air pressure units in the area to be constructed in order to maintain a continuous negative pressure within the construction space. The construction area **MUST** be kept at a negative pressure relative to the occupied spaces.

6 During Construction:

- 6.1 Erect impermeable dust barriers to completely seal off the work area from adjacent areas.
- 6.2 Dust barriers are to be maintained and remain in place until work is completed and the facility representative has approved removal. Any damage to barriers must be repaired as soon as possible.
- 6.3 **Contractors will be held responsible for any damage, dirt or dust migration beyond the construction enclosure and all cleaning cost to rectify same will be borne by the General Contractor.**
- 6.4 Post signs on the doors indicating that there is to be absolutely no unauthorized entrance or exit through the sealed-off areas except for fire or security reasons. Ensure that the construction crew and others comply with these restrictions.
- 6.5 Clean the construction area daily.
- 6.6 Dirty or dusty footprints outside the construction area that have been left behind by people who were in the construction area are to be promptly cleaned.
- 6.7 Use water mist and commercial dust suppressing products, approved by the Owner, to control dust. Execute work by methods to minimize raising dust from construction operations.
- 6.8 In the event equipment or materials cannot be removed from the construction area, use drop sheets to cover these items.
- 6.9 Debris transported from the second floor will be by the exterior in all cases possible. Contractor to provide sealed chute to covered bins below.
- 6.10 Failure to provide adequate dust control will result in the contractor bearing the cost of any clean up, repair or replacement deemed necessary as a result of dust generated from the project.
- 6.11 Ensure that windows, doors, penetrations, electrical outlets and intake and exhaust vents are properly sealed with plastic and taped within work area.
- 6.12 For exterior work adjacent to windows in an existing facility, test window openings for air tightness and seal windows that leak.

- 6.13 Verify that all fresh air intakes facing construction operation are shut down, and sealed not to allow dust or debris intake.
- 6.14 Ventilation:
 - 6.14.1 Seal duct openings in work are until completed.
 - 6.14.2 Maintain negative pressure between work area and adjacent occupied areas by using portable ventilation equipment.
 - 6.14.3 Verify that air is exhausted directly outside and away from intake vents, or filtered through a HEPA filter before being recirculated. Where odour is a concern, ensure an approved air scrubbing material is utilized.
 - 6.14.4 The main building's air handling system shall be disconnected from use in areas of construction. This will require sealing of existing duct work on both the supply and return air systems.
- 6.15 Remedial Measures:
 - 6.15.1 Water leaks and flooding shall be reported immediately to the Project Manager.
 - 6.15.2 Detected water damage must be thoroughly investigated in consultation with the Project Manager. A plan of action will then be implemented as approved by the Project Manager.
 - 6.15.3 All investigations, removal and abatement procedures shall be conducted in a manner that does not promote dispersal of dust and spores.
- 6.16 Cleaning During Progress of Work:
 - 6.16.1 Clean work area with HEPA filter-equipped vacuums and wet mops, or both, at end of each work shift and as necessary.
 - 6.16.2 Ensure ventilation system is functioning properly and is cleaned if contaminated by soil or dust after work is complete.

7 After Construction:

- 7.1 Clean work area with HEPA filter equipped vacuums and wet mop.
- 7.2 Ensure air vents and ductwork are cleaned and seals removed.
- 7.3 If required, Contractor to conduct final indoor air quality test. Submit test results to the HRSB Project Manager.

8 Cutting and Patching

- 8.1 Provide openings larger than 8" in diameter in non-structural elements of Work for penetrations of structural, mechanical and electrical Work. Openings smaller than 8" diameter will be provided by the Sub-trades requiring same.
- 8.2 When floor cutting is required, Contractor to confirm there are no under-floor electrical or junction boxes. Contractor must utilize a electrically power operated floor saw.
- 8.3 Fit work airtight to pipes, sleeves, ducts, conduit, and after penetrations through surfaces.
- 8.4 At penetration of fire rated wall, ceiling, or floor construction, completely seal voids with approved fire-stopping and smoke sealing materials, full thickness of the construction element, as required to maintain the required fire resistance and smoke spread rating.
- 8.5 Refinish surfaces to match adjacent finishes: For continuous surfaces refinish to nearest intersection; for an assembly, refinish entire unit.
- 8.6 Conceal pipes, ducts and wiring in floor, wall and ceiling construction of finished areas except where indicated otherwise.

9 Progressive Cleanliness & Restoration of Damage

- 9.1 Maintain Work daily in tidy condition, free from accumulation of waste products and debris. Remove waste material and debris from site at end of each working day, and dispose of off-site. Ensure permits are obtained from authorities having jurisdiction for disposal of waste and debris.
- 9.2 Provide on-site containers for collection of waste materials and debris, and provide clearly marked separate bins for recycling.

10 Close Out Procedures:

- 10.1 Remove dust, stains, paint spots, soil grease, fingerprints and accumulations of construction materials, interior and exterior to the building. Perform cleaning in accordance with installer's instructions for each material. Final cleaning shall include:
 - 10.1.1 Washing exterior paved surfaces disturbed under this contract.
 - 10.1.2 Cleaning and polishing of glass and finish metals, interior of areas noted.
 - 10.1.3 Cleaning of hardware, mechanical fixtures, lighting fixtures, cover plates and equipment, including polishing of their finish metal, porcelain, vitreous and glass components.
 - 10.4.4 Removing of visible manufacturer's labels left on materials, components and equipment.
 - 10.5.5 Cleaning of new flooring and of all other flooring disturbed under this contract.

10.2 Maintenance materials:

- 10.2.1 Maintenance materials provided shall be new, not damaged or defective, and of the same quality and manufacture as products provided in the work. If requested, furnish evidence as to type, source and quality of products provided.
- 10.2.2 Provide 3% of all hard tile, floor and walls and 4 liters of each paint colour specified.

10.3 Testing Balancing and Adjusting

Provide testing and ensure agency is a current member of AABC certified to perform services.

10.4 Demonstration of systems and equipment

Provide complete demonstration of all systems and equipment in the presence of the Owner and maintenance representations at the following times:

10.5 Submittals

- 10.5.1 Provide with application for substantial completion certificate.
 - 10.5.1.1 Certificate of final inspection report from electrical utility or inspection.
 - 10.5.1.2 Other reports required or specified.
 - 10.5.1.3 Maintenance manuals and operating instructions.
- 10.5.2 Submit with application for release of final payment:
 - 10.5.2.1 Final project record drawings including shop drawings.
 - 10.5.2.2 Performance bonds which shall remain in effect for one year after takeover date.

- 10.5.2.3 Completed Liability Insurance Policy extended for one year over date.
- 10.5.2.4 Written guarantee covering all workmanship and materials used in the work.
- 10.5.2.5 Certificate from Worker's Compensation Board.
- 10.5.2.6 Maintenance Bonds as specified.
- 10.5.2.7 Maintenance Manual.
- 10.5.2.8 Spare parts and maintenance materials and list.
- 10.5.2.9 Extended warranties.

10.6 Substantial performance and final inspection procedures:

10.6.1 Provide:

An inspection of the work, identify deficiencies and defects; repair as required. Notify the consultants in writing and request Substantial Performance Final Inspection.

10.6.2 Present at the Substantial Performance Inspection will be:

10.6.2.1 The consultants and his sub-consultants that he requires and notifies.

10.6.2.2 The Owner and his consultants upon notification by the design builder.

10.6.2.3 The design builder and such sub-contractors that he considers are required.

10.6.3 The Contractor will compile a Substantial Performance deficiency list at this inspection and issue it to the Owner and his consultants.

10.6.4 Upon the Owner's completion of the deficiencies, the design builder shall submit an application for final payment and a certificate for payment will be issued by the consultant to the Board.

10.7 Substantial performance:

10.7.1 The owner will issue a Certificate of Substantial Performance when satisfied outstanding deficiencies noted during inspections prior to the Substantial Performance inspection have been corrected, and the work is substantially performed.

10.7.2 The owner reserves the right to occupy and use portions of the building(s), whether partially or entirely completed, or whether completed on schedule or not, provided such occupancy does not interfere with the Design Builders continuing work. Partial occupancy or installation by the Owner of his equipment shall not imply acceptance of Substantial Performance, in whole or in part, nor shall it imply acknowledgement that terms of the agreement are fulfilled.

10.7.3 The Certificate of Substantial Performance will be attached to the list of remaining deficiencies to be rectified before final acceptance.

10.7.4 Make submissions specified in this section.

10.8 Completion certificate:

- 10.8.1 The owner will issue a Certificate of Performance when he is satisfied that outstanding deficiencies noted during inspections have been corrected and the work is complete.
- 10.8.2 A list of remaining deficiencies to be rectified before final acceptance will be attached to the completion certificate.
- 10.8.3 Make submissions specified in this section.

10.9 Warranties:

- 10.9.1 Establishment of warranties:
 - 10.9.1.1 Warranties shall commence on date of approval of the Substantial Performance Certificate.
- 10.9.2 Warranty period:
 - 10.9.2.1 The Owner will notify the design builder of defects observed during warranty period and request him to remedy the defects in accordance with the contract documents.
 - 10.9.2.2 Thirty days before the expiration of warranties, the Owner and the design builder will inspect the work as arranged by the design builder noting defects of products and workmanship.
 - 10.9.2.3 The designer builder shall immediately remedy such noted defects.

2.1 **SITE VISITS**

- (a) Bidders will be deemed to have familiarized themselves with existing site and all other conditions which may affect performance of the Contract. No plea of ignorance of such conditions as a result of failure to make all necessary examinations and calculations will be accepted as a basis for any claims for extra compensation or an extension of time.
- (b) **A mandatory bidder's site meeting is scheduled as per the directions on the cover sheet of this document.**

3.0 **FORM OF TENDER - BIDDER DECLARES**

- (a) That this tender was made without collusion or fraud.
- (b) That the proposed work was carefully examined.
- (c) That the bidder is familiar with local conditions.
- (d) That contract documents and attachments were carefully examined.
- (e) That all the above were taken into consideration in preparation of this tender.

3.1 **BIDDER AGREES**

- (a) To enter into a contract to supply all labour, material and equipment and to do all work necessary to complete the Work as described and specified herein for the prices as per the Form of tender, Schedule of Prices, Article 3.5.
- (b) That this tender is valid for acceptance for 60 days from the time of tender Closing.
- (c) That failure to enter into a formal contract and give specified documents within time required will constitute grounds for forfeiture of this agreement.
- (d) That if Certified Cheque or bid bond is forfeited, the Owner will retain difference in money between amount of tender and amount for which owner legally contracts with another party to perform the work and will refund balance, if any, to bidder.
- (e) I/WE certify that the company listed herein is in good standing with the City of Halifax Tax Collector and all Municipal, Provincial and Federal Tax Agencies. Failure to complete this certification and maintain this status will be cause for rejection of your tender and/or cancellation of any contractual undertaking with the Board. We further agree with and accept the terms set out in this tender document.

Halifax Regional School Board

CONTRACTOR INFORMATION SHEET

***TENDER #3630
DUST COLLECTION SYSTEM
COLE HARBOUR DISTRICT HIGH***

FIRM _____

ADDRESS _____

E-MAIL ADDRESS _____

POSTAL CODE _____ PHONE _____ FAX _____

NAME OF PERSON SIGNING FOR FIRM _____

POSITION OF PERSON SIGNING FOR FIRM _____

The undersigned company represents and warrants that it is authorized to carry on business of this nature and that it is not prohibited by any law applicable in Nova Scotia from performing this Contract. The undersigned also acknowledges receipt and understanding of, and has taken into consideration all information presented in, this tender and agrees to be bound by its terms and conditions. The undersigned further confirms and agrees that the person whose name is set out below is fully authorized to represent the company and to bind it to this bid and the Contract awarded pursuant to it and in all matters relating to or arising out of the subject matter of this tender.

I/WE, the undersigned, having carefully examined the ***#3630 DUST COLLECTION SYSTEM – COLE HARBOUR DISTRICT HIGH*** tender documents, and having read, understood, and accepted the Conditions of the tender which form part of the tender documents, hereby offer to provide the materials and service in strict accordance with the ***#3630 DUST COLLECTION SYSTEM – COLE HARBOUR DISTRICT HIGH*** documents, which form part of this tender.

I/WE, hereby agree that notification of acceptance of this bid shall be in writing and may be sent by prepaid post or fax, and if sent by prepaid post, acceptance shall be deemed to have been made on the date of mailing of such notification.

3.2 **REFERENCES:**

The Bidder shall furnish particulars of at least three contracts successfully completed or currently being carried to completion. The projects quoted should preferably be approximate in nature to the Works now proposed for and be of comparable or greater

size.

Contact Name & Phone #	Date		Contract Value
_____	from _____	to _____	_____
_____	from _____	to _____	_____
_____	from _____	to _____	_____
_____	from _____	to _____	_____

3.3 **SUB CONTRACTORS:**

The Bidder shall enter the name and address of each Sub-Contractor used in making up this Tender. Only one Sub-Contractor shall be named for each part of the work to be sublet.

Subcontractor/Suppliers/Manufacturers	Service/Material

3.4 **PROJECT PERSONNEL:**

The tender shall include below, the names qualifications and previous experience of those people who will be directly involved with the project. The names shall, for example, include foreman, superintendent, and project engineer and/or project manager, labourers and trade staff.

Name	Position	Qualification/Experience

HRSB is directly responsible for the safety of its students and staff. Should contractors be required to work in or on school property while children are present, it is a MANDATORY HRSB REQUIREMENT that contractors assign the work to employees and/or sub-contractors who DO NOT have a CRIMINAL RECORD and who ARE NOT LISTED ON THE CHILD ABUSE REGISTRY. Failure to comply with this requirement may result in immediate contract termination.

By checking the “Agreed” box you are confirming that you understand and will abide by this mandatory HRSB requirement. *Agreed*

3.5 **SCHEDULE OF PRICES**

CONTINGENT UNIT PRICES: [see article 1.2 (p)]

Provide unit prices for contingency items in the event that additional work items are required in association with the scope of work as outlined in section 2.0 and the total value of unit prices shall be included in the Total Fixed Cost price.

Item No.	Description	Unit of Measurement	Estimated Quantity	Unit Price
1.	_____	_____	_____	\$ _____
2.	_____	_____	_____	\$ _____
3.	_____	_____	_____	\$ _____
4.	_____	_____	_____	\$ _____
5.	_____	_____	_____	\$ _____
6.	_____	_____	_____	\$ _____

3.6 **TIME AND MATERIAL PRICES:**

Provide unit prices for time and material work if no fixed price is requested in association with the work as outlined herein.

Item No.	Description	Unit of Measurement	Estimated Quantity	Unit Price
1.	_____	_____	_____	\$ _____
2.	_____	_____	_____	\$ _____
3.	_____	_____	_____	\$ _____
4.	_____	_____	_____	\$ _____
5.	_____	_____	_____	\$ _____
6.	_____	_____	_____	\$ _____

3.7 **PROPOSED FIXED PRICE**

The fixed price shall be the full inclusive value of the work. The prices submitted shall be all-inclusive and shall include for all the general and special requirements to meet the specifications of the work, including any contingent costs.

Description

Total Fixed Price

DUST COLLECTION SYSTEM
COLE HARBOUR DISTRICT HIGH

\$ _____

ADD HST (15% OF TOTAL PRICE)

\$ _____

TOTAL CONTRACT PRICE

\$ _____

SUBSTANTIAL PERFORMANCE DATE: _____

BIDDERS HST REGISTRATION NO. _____

3.8 **SIGNATURE:**

SIGNED AND DELIVERED
in the presence of:

CONTRACTOR

Company name

Witness

Signature of Signing Officer

Name and Title (printed)

SCHEDULE A

AGREEMENT FOR SUPPLY OF SERVICES

This Agreement made effective on the _____ day of _____ in the year 20

For:

Project Name:

Location:

Tender #

by and between:

HALIFAX REGIONAL SCHOOL BOARD ("HRSB")

and

COMPANY NAME:

ADDRESS:

CITY:

PROV:

Postal Code:

(the "Contractor")

The parties agree as follows:

1. Contractor shall provide to HRSB the services set forth in Appendix "C" – Description of Services, and accompanying Exhibits (which along with all other obligations of Contractor set forth in this Agreement shall constitute the "Services") in accordance with the terms of this Agreement.
2. This Agreement consists of the following parts (together, the "Agreement"), each of which shall be construed as an integral part of this Agreement:

This signature page

Appendix "A" – General Terms and Conditions

Appendix "B" – Risk Management & Safety

**Appendix "C" – Description of Services
Exhibit A – RFP or Invitation to Tender**

Exhibit B – Response to RFP or Tender

**Appendix "D" – Undertaking to Comply Form and Contractor Safety
Checklist**

Appendix "E" – Safety Plan

Appendix "F" – Contractor Checklist

The above Appendixes and Exhibits are intended to be complementary, and what is required by any one shall be as binding as if required by all.

3. Contractor confirms that it has read this Agreement before signing it.

4. The individual signing below for Contractor warrants by his/her signature hereon that he/she has authority to bind Contractor to this Agreement.

HALIFAX REGIONAL SCHOOL BOARD

CONTRACTOR

Signature: _____

Signature: _____

Name (print): Kathryn Burlton

Name (print): _____

Title (print): *Purchasing Manager*

Title (print): _____

Date: _____

Date: _____

SAMPLE ONLY

CONTRACTOR'S ATTENTION IS SPECIFICALLY DRAWN TO THE APPENDIX "A" TERMS AND CONDITIONS GOVERNING THIS AGREEMENT. EXECUTING PARTIES' ATTENTION IS DRAWN TO APPENDIX "C" AND APPENDIX "C" TO BE INITIALED OR EXECUTED BY EACH PARTY IN ACKNOWLEDGMENT OF THE TERMS THEREIN.

APPENDIX "A"

TERMS AND CONDITIONS

SERVICES

Services: Contractor shall provide the Services to HRSB in accordance with the terms of this Agreement, on the HRSB properties specified in Appendix "C" (the "**Description of Services**"). Except as may be otherwise expressly provided in Appendix "C", Contractor shall provide all the equipment, personnel, supplies, consumables, supervision and labour necessary to complete the Services in a good and workmanlike manner. No changes or modifications to the Services or otherwise to this Agreement shall be valid unless made in accordance with Article 5 of this Agreement. The Contractor shall employ a competent supervisor who shall be in attendance at the place of work at all times while Services are being performed.

Term: This Agreement shall commence upon and later expire upon the dates specified in Appendix "C" (such period being the "**Term**"), unless earlier terminated in accordance with the provisions of this Agreement. Should Contractor continue to provide, and HRSB continue to pay, for the Services beyond the Term, such provision of Services shall be deemed to be on a temporary basis only and terminable at any time by HRSB with or without cause, and the provisions of this Agreement shall apply in full force (save as to the termination provisions in Article 9) until such termination.

FINANCIAL TERMS, PAYMENT, LIENS

Contract Price: For and in consideration of the Contractor providing the Services in accordance with the terms of this Agreement, the HRSB agrees to pay to the Contractor the sum of

§

(*plus HST*) hereinafter referred to as the "**Contract Price**". Such Contract Price shall include any and all expenses Contractor may incur in the performance of the Services.

Invoices: The Contractor shall submit a single invoice to HRSB for all Services rendered under this Agreement unless Appendix "C" provides otherwise. Contractor's invoice shall indicate applicable sales and use taxes as separate amounts and indicate the net taxable value including all applicable discounts. HRSB shall not be obligated to pay any taxes to Contractor unless Contractor is registered with the applicable authorities and provides its registration number on the invoice. Contractor's invoice shall be in a form acceptable to HRSB and contain sufficient details to ascertain the scope of Services performed and, if requested, Contractor shall provide documentation in support of an invoice. If HRSB disputes any portion of the invoice, it shall pay such invoice less the disputed amount, subject to adjustment upon resolution of the dispute. Non-payment by HRSB of any amount in dispute shall not alleviate, diminish or modify in any respect Contractor's obligations to perform as required by and in accordance with this Agreement.

Payment of Invoices: Upon the HRSB certifying that the Services have been completed, the HRSB shall pay to the Contractor, thirty (30) calendar days from the date of such certification,

unless otherwise stipulated in Appendix "C", the full Contract Price due and payable hereunder, less any holdback required to be retained under the *Builder's Lien Act* of Nova Scotia (the "*Builder's Lien Act*"), other statutory obligation or as otherwise stipulated in Appendix "C", provided the Contractor has submitted the following:

a written statement from the supplier(s) of all materials used for the Services certifying that payment has been made in full for same or waivers of liens from such supplier(s) in due form;

a worker's wage statement containing all the information required by the HRSB pertaining to the Contractor's, and all of its subcontractors', workers. Such statement requires the name of the workers, hours worked, rate of pay, total wages received, and a signature from each worker certifying that they have received payment in full for all time worked on the job indicated on the form; and

certification that the statement is correct.

Release of Holdbacks: No holdback shall be paid to the Contractor until the Contractor has provided to the HRSB a statutory declaration in a form as set forth in Canadian Construction Documents Committee ("CCDC") Document 9A, together with evidence of compliance with the *Workers' Compensation Act*, and, if applicable, a copy of the Certificate of Title for the Lands, dated thirty (30) calendar days from the issuance of the Certificate of Substantial Performance (as defined in the *Builder's Lien Act*) of work by the Contractor, confirming that no liens have been placed against the Lands in association with Contractor's Services.

Liens: Contractor shall keep the Lands and all HRSB property free from any and all laborers', materialmen's and mechanics' liens and similar claims and encumbrances. To the fullest extent permitted by law, Contractor waives all rights to assert such liens against the Lands and all HRSB property. If Contractor fails to release and discharge any claim of lien of others against the Lands and HRSB property within FOUR (4) business days of receiving notice from HRSB, HRSB may at its option discharge or release the claim of lien, or otherwise deal with the lien claimant, and Contractor shall be liable to and shall pay HRSB any and all costs and expenses of HRSB in doing so, including all reasonable legal fees and expenses. Notwithstanding the foregoing, for the purpose of enforcing the terms of this Agreement, HRSB may apply for the following liens and rights when circumstances deem it necessary:

if the Contractor contracts for one or more jobs with HRSB, the HRSB shall have a lien on the Contract Price and extras on that job as well as on their other jobs with the HRSB;

the HRSB shall have a lien on the Contractor's equipment or supplies on any job; and

in the case of Contractor, without sufficient cause (in the opinion of the HRSB), suspending work on any job which continues for more than two (2) days, HRSB may take possession of any materials delivered to or for the Contractor on such job and use same, giving the Contractor credit for its value at not more than cost thereof to the Contractor, against any liability of the Contractor to the HRSB and may use any of the Contractor's equipment that was in use on any of the HRSB's premises until the completion of the unfinished work.

Tax: Contractor shall comply with all applicable tax laws, including but not limited to laws relating to: (i) the collection and remittance of HST; and (ii) the withholding of applicable taxes from those of its employees performing work under this Agreement. Contractor shall be liable for and shall indemnify HRSB in respect of any claims, penalties, interest or costs made or assessed against HRSB arising from Contractor's non-compliance with tax laws.

Audit: Contractor shall keep and maintain true and correct books, records and accounts with respect to the Services and any materials supplied in relation to the Services, along with invoices and monthly summaries, for a period of seven (7) years after Contractor ceases to provide the Services. Contractor shall, upon request of HRSB, make available and permit HRSB during such period to inspect, make copies of, and audit all such records. If there is any revision to charges as a result of an audit, within thirty (30) days of the audit Contractor shall pay to HRSB the full amount of any credit or HRSB shall pay to Contractor the full amount of any shortfall, as the case may be. The provisions of this Section shall survive the termination of this Agreement.

DUTIES OF THE CONTRACTOR

Sub-Contractors: Contractor shall not subcontract the whole or any part of the Services without first receiving the written consent of HRSB, which consent may be withheld in HRSB's sole discretion. Where such consent is granted, Contractor shall not be released or relieved from any obligations or liabilities of Contractor under this Agreement nor shall HRSB be prevented from pursuing any legal or equitable remedies it may be entitled to against Contractor. Contractor shall remain liable and responsible to HRSB for the actions and omissions of any subcontractor and shall ensure that any subcontractor strictly adheres to all terms of this Agreement, including any safety requirements referred to in this Agreement. When requested by HRSB, Contractor shall provide HRSB with all details concerning any and all subcontracted work.

Site Representative and Instructions: The Contractor shall identify in the Undertaking to Comply attached in Appendix "D" to this Agreement, a job site representative to act on the Contractor's behalf. This representative shall have the authority to represent the Contractor with relation to taking instruction on behalf of Contractor and entering agreements or taking such other actions on matters related to this Agreement. HRSB shall identify in Appendix "C" Description of Services, or through subsequent notice to Contractor, its project manager, who has the authority to represent HRSB and instruct Contractor on matters related to this Agreement. If the Contractor representative is not on the job site at the time of a visit by HRSB's project manager, the orders of the HRSB project manager to any worker present shall be carried out. Contractor shall not seek direction from any person on matters related to this Agreement, other than from the HRSB project manager.

DELAYS

Delays: If the Contractor is delayed in the performance of the Services, and such delay is outside the Contractor's direct control, then the schedule to perform the Services may be extended for such reasonable time as the HRSB may decide in consultation with the Contractor. No such extension shall operate to extend the Term of this Agreement. Weather is not considered a reason for delay. No extension shall be made for delay unless written notice of

delay is given to the HRSB not later than two (2) working days after the commencement of delay, providing however, that in the case of a continuing cause of delay only one notice of claim shall be necessary, and for only such period as approved by HRSB in writing, in its discretion.

Delay by HRSB: The HRSB will not, except by written notice to the Contractor, stop or delay the Services as a result of pending instructions or proposed changes in the Services.

Adherence to Schedule: If the Contractor is delayed in the performance of the Services by any cause within the Contractor's control, the Contractor shall at no cost to the HRSB take effective action to restore the Services to the original time schedule for their completion, whether or not such schedule is appended to this Agreement.

CHANGES IN THE WORK

Change Orders: The HRSB, without invalidating this Agreement, may make changes in the Services with the Contract Price and Term being adjusted accordingly, by written notice of change (a "Change Order"). No changes in the Services shall proceed without a Change Order signed by the HRSB and no claim for a change in the Contract Price or change in the Term shall be valid unless so ordered and at the same time valued by the Contractor as provided in Section 5.2.

Change Approvals: When a change in the Services is proposed or required, the Contractor shall present to the HRSB for its approval the value of the change whether an extra charge or a credit. Changes submitted for approval are to be accompanied by a detailed breakdown of labour and materials, to which shall be added supervision, overhead and profit charges. Change charges submitted shall be calculated in the following manner:

for work done by the Contractor, add to the net direct cost not more than ten (10%) percent for overhead, profit, supervision and bonding costs; and

for work done by any subcontractor, add to the net direct cost, not more than FIVE (5%) percent for overhead and profit payable to the subcontractor, and add not more than FIVE (5%) percent to the subcontractor's amount for supervision of the subcontractor by the Contractor and for bonding costs.

The HRSB will satisfy itself as to the correctness of such claim and, when approved by the HRSB, a Change Order shall be issued to the Contractor amending the Contract Price and Term as appropriate.

DEFECTIVE WORK & DISMISSAL OF WORKERS

Defective Work: Defective work is work that has been rejected by the HRSB as failing to conform to this Agreement. Contractor shall promptly correct defective work, as required to conform to this Agreement, with no change in Contract Price. If, in the HRSB's opinion, it is not expedient to correct defective work, the HRSB may deduct from the Contract Price the difference in value between the Services as performed and that required by this Agreement, the amount of which will be reasonably determined by the HRSB.

Dismissal of Workers: The Contractor shall, on the request of the HRSB, immediately dismiss from the job any person employed by the Contractor who may, in the opinion of the HRSB, be incompetent or for misconduct, and such persons shall not again be employed on the job without the prior written permission of the HRSB. Foul language will be considered as misconduct.

PRODUCT OPTIONS AND SUBSTITUTIONS

Product Selection: Contractor may:

for any products specified by non-proprietary specification in Appendix "C", select any product of any manufacturer which meets the requirements of this Agreement.

for products specified by proprietary specification and accompanied by words indicating that substitutions will not be accepted in Appendix "C", select any product or manufacturer named. Substitutions are not permitted; and

except where substitutions are not permitted, when a product is specified by proprietary specification, other unnamed products will be accepted, subject to such substitutions being the same generic type, and capable of performing the same functions and meeting or exceeding the standards of quality and performance, as the named product. Substitutions shall not require revisions to this Agreement or a Change Order.

Product Substitutions: When making a substitution, the Contractor shall represent in writing that:

Contractor has investigated substitute products and/or manufacturer and has determined that the substituted product meets the criteria specified in Section 7.1 (c);

Contractor will make any changes to the Services necessitated by the substitution as required for the Services to be complete in all respects; and

Contractor waives all claims for additional costs and time caused by substitution, which may subsequently become apparent.

COMPLIANCE WITH LAWS, SAFETY AND PRIME CONTRACTOR

Compliance with Laws: Contractor shall comply with, and shall ensure subcontractors comply with, all applicable federal, provincial, and municipal laws, regulations and by-laws and to all other applicable orders, rules and regulations of any authority having jurisdiction respecting the Services, including without restriction all applicable environmental legislation, employment standards codes and workers' compensation legislation or equivalent legislation. CONTRACTOR SHALL FURNISH HRSB WITH WRITTEN CONFIRMATION FROM THE APPLICABLE WORKERS' COMPENSATION AUTHORITIES, OR EQUIVALENT AUTHORITIES, THAT CONTRACTOR AND ANY SUBCONTRACTORS ARE IN GOOD STANDING WITH SUCH AUTHORITIES, AND NO CONTRACTOR INVOICE SHALL BE PAYABLE UNTIL SUCH CONFIRMATION IS RECEIVED.

Safety: Contractor shall comply with and shall ensure all of its agents, employees and subcontractors comply with all applicable fire, safety, health, and environmental laws and regulations, including all safety, health and environmental requirements pursuant to any government permit, license, or authorization. Contractor shall be solely responsible for ensuring the safety and health of its agents, employees and subcontractors and for ensuring that its activities do not compromise the safety of HRSB's operations.

Occupational Health and Safety Legislation: Contractor shall comply with all applicable provisions of the *Occupational Health and Safety Act* (Nova Scotia) (the "Act") regulations thereto. Contractor shall execute and provide to HRSB the Undertaking to Comply Form with attached Pre-Construction Meeting Contractor Safety Checklist attached as Appendix "D". Contractor shall also supply to HRSB a Certificate of Recognition (COR) form as required under the Act and other applicable legislation.

Designation of Prime Contractor: The parties agree to designate in Appendix "D" that the Contractor shall be the "prime contractor" for the work site on the Lands for the purposes of the Act, during the Term, under this Agreement. The Contractor hereby agrees that:

such obligation shall extend to protect all contractors, employees, workers and persons as specified in the Act concerning the work site notwithstanding that they have been retained by HRSB after the date of execution of Appendix "D" by the Contractor; and

HRSB may in its sole discretion notify the Contractor in writing that the Contractor shall, following the date of such notice, assume the role of the "prime contractor" under the Act with respect to the work site notwithstanding that the Contractor was not so designated in Appendix "D" at the time of its execution by the Contractor, and the Contractor hereby agrees to do so.

Responsibilities of the Prime Contractor: Contractor shall:

direct all subcontractors, other contractors, employers, workers and any other personnel at the work site on safety related matters, to the extent required to fulfill its "prime contractor" responsibilities pursuant to the Act, regardless of:

whether or not any contractual relationship exists between the Contractor and any of these entities, or

whether or not such entities have been specifically identified in this Agreement;

ensure all obligations under the Act are strictly adhered to by all personnel;

be diligent in ensuring that its subcontracts comply with all health, safety and environmental legislation;

take appropriate disciplinary action against subcontractors who contravene health, safety or environmental legislation, which includes but is not limited to the suspending of the work performed by the subcontractors, before allowing them to continue to work on the site; and

ensure that Contractor or subcontractors never place the HRSB students, staff, volunteers or the general public at risk of injury or illness related to work conducted under this Agreement.

The HRSB shall provide Contractor, where applicable, with a list of all subcontractors under contract to the HRSB, working on the work site at the same time as Contractor, as well as their contact information. Failure by the HRSB to provide such information to Contractor shall not relieve Contractor of its obligation under this Section 8.5.

HRSB Access: At all times during the Term, HRSB Project Managers, agents and designates shall have the right to access, ingress and egress any work site, building or facility where Contractor performs the Services, and any part thereof, for any purpose, and neither Contractor nor its subcontractors shall refuse such access, ingress or egress whatsoever.

TERMINATION

Insolvency: If the Contractor should be adjudged bankrupt, or makes a general assignment for the benefit of creditors because of insolvency or if a receiver is appointed, the HRSB may, without prejudice to any other right or remedy it may have, by giving the Contractor or receiver or trustee in bankruptcy written notice, immediately terminate this Agreement.

Breach by Contractor: If the Contractor should neglect to prosecute the Services properly or otherwise fail to comply with the requirements of this Agreement, the HRSB may notify the Contractor in writing that it is in default of its obligations and instruct it to correct such default within FOUR (4) business days immediately following the receipt of such notice. If the correction of the default cannot be completed in the FOUR (4) business days specified, the Contractor will be considered to be actually attempting to cure the default if it:

commences the correction of the default on a best efforts basis, in HRSB's sole opinion, within FOUR (4) business days of receiving a notice of default;

provides the HRSB with a schedule for such correction which HRSB approves by written notice to Contractor; and

completes the correction in accordance with such approved schedule and without any additional cost or delay to the HRSB.

If the Contractor fails to correct the default in the time specified or subsequently agreed upon, the HRSB, without prejudice to any other right or remedy it may have, may terminate the Contractor's right to continue with the Services in whole or in part, and/or terminate this Agreement. Such termination must be in writing to the Contractor upon thirty (30) days notice.

Other Remedies: If this Agreement is terminated in whole or in part by the HRSB as a result of the default of the Contractor, the HRSB shall be immediately entitled to withhold any and all further payments which may be due and owing to the Contractor, complete or hire a third party to complete the Services in a manner it determines to be expedient, or to do whatever else it deems prudent or expedient in the circumstances to complete the Services.

Safety Default: This Agreement may be immediately terminated by HRSB for non-compliance by Contractor of any of its obligations under Article 8 of this Agreement.

DISPUTE RESOLUTION

Disputes Generally: Disputes between the Contractor and the HRSB as to the interpretation, application or administration of this Agreement or any failure to agree where agreement between the parties is called for, which are to be resolved between the parties, shall be settled by mediation and/or by arbitration.

Use of Mediation. Should HRSB choose to mediate a dispute:

Mediation shall take place on a confidential, without prejudice, basis with a single trained mediator who is a member of the Nova Scotia Arbitration and Mediation Society, jointly selected by the Contractor and the HRSB (the “**Mediator**”). The Mediator must be impartial and independent with no involvement in the dispute. This impartiality must be assessed by each of the parties prior to mediation. If a bias or perception of bias develops during the mediation, either party or the Mediator may terminate the mediation.

The Contractor, the HRSB and the Mediator shall agree on the fees, timing and any specific procedures and shall share the costs of mediation equally. All parties shall agree to and sign an agreement to mediate drawn up by the Mediator prior to mediation.

10.3 Arbitration: By written notice by one party to the other (a "Notice of Arbitration"), all disputes arising out of this Agreement, including its interpretation, must be submitted to binding arbitration in accordance with the provisions of the *Commercial Arbitration Act* (Nova Scotia), subject to the following:

- (a) The arbitration panel will consist of one arbitrator. If the parties fail to reach agreement on the selection of the arbitrator within 10 days following delivery of the Notice of Arbitration, any party may apply to The Supreme Court of Nova Scotia to appoint the arbitrator. The arbitrator will be qualified by education, training and industry experience to rule upon the particular dispute to be resolved.
- (b) The arbitrator will be instructed that time is of the essence in the arbitration proceeding and, in any event, the arbitration award must be made within 90 days of the submission of the dispute to arbitration and within 15 days of the conclusion of any hearing, or if there is no hearing, within 15 days of the delivery of written submissions.
- (c) The arbitration will take place in Halifax, Nova Scotia or such place as the parties may agree and will be conducted in the English language.
- (d) The arbitration award will be given in writing and will be final and binding on the parties. The award will give reasons and will deal with the question of costs of the arbitration and all related matters. The contractor and the HRSB shall share the costs of arbitration equally, unless otherwise determined by the Arbitrator.
- (e) The parties will keep all matters relating to the arbitration strictly confidential. The existence of the proceeding and any element of it (including any pleadings, briefs or other documents submitted or exchanged, any testimony or other oral submission in any award) will not be disclosed except to the arbitrator, the parties, their counsel and any person necessary to the conduct of the proceeding, except as may be required by law or as may be lawfully required in judicial proceedings relating to the arbitration.

PERFORMANCE BOND

Bond Requirement: Contractor shall, on execution of this Agreement, provide and pay for a performance bond in the amount of fifty (50%) percent of the Contract Price and a labour and materials payment bond in the amount of fifty (50%) percent of the Contract Price issued by a bond company acceptable to the HRSB, to continue in force for one (1) year after substantial completion of the Services, covering the performance of all obligations of the Contractor and all warranties of the Contractor under this Agreement. *Required* *Not Required*

WARRANTY

Warranty: The Contractor hereby warrants that:

it shall correct promptly, at Contractor's sole expense, defects or deficiencies in the Services as a result of workmanship or materials, which appear prior to the first (1st) anniversary of the date of completion of the Services, or such longer periods as may be specified for certain products or work in Appendix "C"; and

during the construction and warranty periods, defects or deficiencies in the Services, causing an emergency condition on the Lands or premises requiring immediate remedial/emergency repairs, outside of normal working hours, will be responded to by the HRSB's operations or maintenance staff. Costs for this emergency response will be the responsibility of the Contractor, and Contractor is hereby liable to indemnify HRSB for all such costs.

CONFIDENTIALITY AND OWNERSHIP OF WORK PRODUCT

Confidentiality: Contractor shall:

not make use of any HRSB Confidential Information for its own personal gain or for any purpose other than is required to provide the Services;

not disclose any HRSB Confidential Information to any person except employees, consultants, subcontractors and agents who have a need to know such information consistent with the provision of the Services, but only after such person has properly assumed obligations identical in principle to those in this Section and Contractor ensures that such person at all times complies with those obligations

employ diligent efforts and exercise reasonable care to hold all HRSB Confidential Information in the strictest confidence;

not use HRSB's name for any marketing or promotional purposes and not make any public announcements or disclosure in respect of this Agreement or Contractor's relationship with HRSB without first obtaining written consent from HRSB; and

be liable to HRSB and indemnify HRSB for any breach of this Section by Contractor or its employees, consultants, subcontractors or agents.

Terms of Agreements: Neither party shall disclose the terms of this Agreement or amounts paid under it to any person without the other party's written consent, except to a party's employees, professional advisors and insurers who have a need to know such information, but only where the party ensures that such persons are under obligations of confidentiality identical in principle to those in this Section. HRSB shall not disclose Contractor's information respecting pricing or any information supplied by Contractor that is clearly marked "Confidential" to any person except HRSB's employees, consultants, subcontractors and agents who have a need to know such information.

"HRSB Confidential Information" refers to any and all information, material and data disclosed to Contractor by HRSB, or obtained by Contractor in connection with providing the Services, directly or indirectly, orally, in any written form, or in any magnetically or electronically recorded form, or by drawings or inspection of parts or equipment, and including but not limited to: (i) information, knowledge or data of an intellectual, technical, scientific, commercial or industrial nature, or of a financial, cost, pricing, or marketing nature relating to the business operations of HRSB; or (ii) any information supplied by HRSB that is clearly marked "Confidential"; but shall not include information in the public domain or information that at the time of disclosure was already known to Contractor on a non-confidential basis.

Ownership of Work Product: All property and intellectual property rights in all reports, designs, drawings, studies, specifications, software, materials, inventions and other work product created, produced or arising in connection with the performance of the Services, whether completed or in progress, and regardless of who was involved therewith, shall be owned exclusively by HRSB and either delivered to HRSB or made available for inspection by HRSB. HRSB's ownership of and title to the foregoing shall arise automatically upon its creation and not be subject to the payment of the Contract Price to Contractor. To the extent Contractor has any title to the foregoing, Contractor shall take and cause to be taken all necessary steps (including a waiver of any moral rights) to transfer title thereto to HRSB.

Survival: The provisions of this Article shall survive the expiration or termination of this Agreement.

MISCELLANEOUS PROVISIONS

Notices: Communications in writing between the parties shall be considered to have been received by the addressee on the date of delivery if delivered by hand or by facsimile, or if sent by post, to have been delivered within FOUR (4) business days of the date of mailing, when addressed to the addresses in Appendix "C":

Assignment: This Agreement is not assignable by Contractor without the prior written consent of HRSB, which consent may be withheld arbitrarily. Any purported assignment by Contractor of any of its rights, duties, or obligations under this Agreement without HRSB's written consent, shall be voidable by HRSB at its option. Contractor shall not in any event be released from its duties and obligations under this Agreement. HRSB may assign this Agreement upon providing notice to without obtaining Contractor's consent.

Binding Effect: This Agreement shall be binding upon and enure to the benefit of each of HRSB and Contractor and their respective successors and permitted assigns.

Interpretation: In this Agreement, all references to 'dollars' or '\$' are to Canadian dollars unless stated otherwise. The insertion of headings is solely for convenience of reference and shall not affect the interpretation of any provision.

Independent Contractor: The parties agree that Contractor is an independent contractor, that nothing in this Agreement shall be construed as establishing or implying a relationship of master and servant between the parties, or any joint venture or partnership between the parties, and that nothing in this Agreement shall be deemed to constitute either of the parties as the agent of the other party or authorize either party to incur any expenses on behalf of the other party or to commit the other party in any way whatsoever. Contractor and its servants, agents or employees shall at no time be deemed to be servants, agents or employees of HRSB, or be deemed to be under the control or supervision of HRSB when carrying out the Services. Without the prior written consent of HRSB.

No waiver: No party shall be deemed to have waived the exercise of any right that it holds under this Agreement unless such waiver is made in writing. No waiver made with respect to any instance involving the exercise of any such right shall be deemed to be a waiver with respect to any other instance involving the exercise of that right or with respect to any other right.

Governing Law: This Agreement shall be governed by and interpreted in accordance with the laws of the Province of Nova Scotia and the laws of Canada applicable therein, excluding any conflict of laws rules that may apply therein. The parties hereby attorn to the non-exclusive jurisdiction of the courts of the Province of Nova Scotia, without prejudice to the rights of HRSB to take proceedings in any other jurisdiction. The parties hereby waive any right to a trial by jury.

Time of the Essence: Time shall be of the essence in this Agreement.

Set-Off: HRSB shall be entitled at all times to set off any amount owing from Contractor to HRSB against any amount due or owing to Contractor with respect to this Agreement.

Entire Agreement; Invoice Terms of No Effect: This Agreement constitutes the entire agreement of the parties concerning its subject matter and no other representation, warranties or agreements, either oral or written, shall be binding upon HRSB or Contractor. This Agreement supercedes and invalidates all prior agreements, understandings, negotiations, representations and warranties, whether oral or written, with respect thereto. The terms of this Agreement shall supersede any terms attached to Contractor's invoice, which terms shall not be applicable to this Agreement and shall not be considered to be Contractor's exceptions to the provisions of this Agreement.

Counterparts: The parties may execute this Agreement by facsimile or other electronic means and in separate counterparts each of which when so executed and delivered shall be an original, and all such counterparts taken together shall constitute one instrument.

APPENDIX "B"

RISK MANAGEMENT AND SAFETY

A. INDEMNIFICATION AND INSURANCE

1. Indemnity and Waiver:

Contractor shall be liable to HRSB for and shall indemnify and save harmless HRSB from and against any and all claims, suits, demands, awards, actions, proceedings, losses, judgments, costs, damages, settlements or expenses (including legal costs on a solicitor and own client basis) suffered or incurred by HRSB that arise out of, result from, are based upon or are in any way connected with this Contract, including without limitation:

- (a) those resulting from any act or omission on the part of Contractor or its employees, agents and subcontractors;
- (b) those resulting from any action, suit or proceeding brought by any third party;
- (c) those brought in respect of personal injury (including injury resulting in death) or damage or destruction of tangible or intangible property, including HRSB's property;
- (d) those made under workers' compensation legislation;
- (e) those legal costs and fines resulting from the failure of Contractor, its employees, agents or subcontractors to comply with any applicable laws, regulations, by-laws, rules or orders of any government, authority or body having jurisdiction, whether identified in this Contract or applicable by-law;
- (f) those resulting from the release, discharge, seepage or other escape of any substance including chemicals, hazardous or toxic materials, substances, pollutants, contaminants or wastes, whether liquid, gaseous or of any other nature or for any breach of any applicable environmental legislation;
- (g) those resulting from any labourers', materialmen's, or mechanics' liens arising from or relating to the performance of the Contract;
- (h) those brought for actual, alleged, direct or contributory infringement of any patent, trademark, copyright, trade secret or other intellectual property right, including breach of obligations of confidentiality; and
- (i) any other claims, expenses, costs, and losses suffered, incurred or sustained by HRSB.

The foregoing liability, indemnification and hold harmless provisions shall apply to anything done or not done in connection with this Contract and by whomsoever made, regardless of whether it was caused by the negligence of Contractor or otherwise.

Contractor shall make no claim or demand against HRSB for any injury (including death), claim, expense, loss or damage to property suffered or sustained by Contractor or any other person which arises out of, or is connected, with this Contract or anything done or not done as required hereunder, or any other errors or omissions of Contractor, and hereby waives as against HRSB all such claims and demands.

The foregoing indemnity and waiver given by Contractor shall not apply to the extent of HRSB's own negligence. The onus of establishing that HRSB was negligent shall be upon Contractor. HRSB shall not be deemed to have caused or contributed thereto merely by reason of its knowledge, approval or acceptance of the materials, drawings,

specifications, supplies, equipment, procedures or services of Contractor.

For the purposes of this Section, any reference to "HRSB" shall include HRSB, together with the employees, directors, officers, superintendents, trustees, representatives and agents of HRSB; and any reference to "Contractor" shall include Contractor's directors, officers, employees, affiliates, representatives, agents and subcontractors.

2. Insurance:

Contractor shall, at its own expense, obtain and maintain during the term of this Contract, in a form and with an insurance company satisfactory to HRSB, policies of:

- (a) Commercial General Liability insurance with a limit of not less than Two Million Dollars (**\$5,000,000**) for any one loss or occurrence and in the aggregate with respect to bodily injury, personal injury and property damage, including loss of use thereof, which policy shall by its wording or by endorsement:
 - (i) include HRSB, its officers, directors, employees, agents and trustees as an additional insured with respect to the obligations assumed by Contractor under this Contract;
 - (ii) provide that, in relation to the interests of each additional insured, the Insurance shall not be invalidated by an action or inaction any other person other than the respective additional insured;
 - (iii) include a "cross liability" clause which shall have the effect of insuring each entity named in the policy as an insured in the same manner and to the same extent as if a separate policy had been issued to each;
 - (iv) extend to cover blanket Contractual liability, including the insurable liabilities assumed by Contractor under this Contract;
 - (v) extend to cover products and completed operations; such products and completed operations coverage, whether by specific policy endorsement respecting the services or by renewal of any annual practice policy, shall be kept in force during the supply of services and for a further period of 24 months following completion of supply of the services;
 - (vi) extend to cover non-owned auto liability coverage; and
 - (vii) not exclude any existing property of HRSB, but shall treat same as "third party property".
- (b) Employer's Liability Coverage which shall not be less than \$5,000,000 for each employee where Workers' Compensation coverage does not exist or the profession/trade has been indicated to be exempted from Workers' Compensation coverage.
- (c) Automobile public liability and property damage insurance in an amount not less than Two Million Dollars (\$2,000,000) all inclusive covering the ownership, use and operation of any motor vehicles and trailers which are owned, leased or controlled by the Contractor and used in connection with this Contract; and
- (d) Property "All Risks" insurance covering Contractor's owned property, including Contractor's equipment, where applicable, and property of others in the care, custody, or control of Contractor or for which the Contractor has assumed liability, all including while in transit or storage, on a replacement cost basis. With respect to any property of HRSB, such policy shall contain a loss payee

clause in favour of HRSB;
(collectively, the "Insurance").

Contractor shall ensure that the above Insurance policies:

- (a) are endorsed to provide HRSB with not less than thirty (30) days written notice in advance of cancellation, change or amendments restricting coverage;
- (b) do not include a deductible that exceeds such maximum amount that a reasonably prudent business person would consider reasonable; and
- (c) take the form of an occurrence basis policy and not a claims-made policy.

Contractor shall, before any services are performed, provide HRSB with a copy of the certificates of insurance and, if requested by HRSB, the insurance policies evidencing all the coverage stipulated above, and HRSB may withhold payment of any invoice until it receives evidence of such coverage. Failure for any reason to furnish this proof at any time shall be a breach of the contract, allowing the HRSB to terminate the contract or at the HRSB's option, to supply such insurance and charge the cost to Contractor. The HRSB may require Contractor to have the HRSB added as an insured party to the insurance policy and/or require Contractor to furnish a certified copy of the policy for such insurance.

Contractor shall not make or cause to be made any modification, or alteration to the Insurance, nor do or leave anything undone, which may invalidate the Insurance coverage. Contractor shall be responsible for any deductible and excluded loss under the Insurance.

Contractor shall cause all subcontractors performing services to obtain and maintain the Insurance policies required by this Section.

Contractor agrees that the insurance coverage required to be maintained by it under the provisions of this Contract shall in no manner limit or restrict its liabilities under this Contract. HRSB reserves the right to maintain the insurance in good standing at Contractor's expense and to require Contractor to obtain additional insurance where, in HRSB's reasonable opinion, the circumstances so warrant.

B. COMPLIANCE WITH LEGISLATION AND REGULATIONS

1. Compliance

Contractor shall comply with and shall ensure all of its agents, employees and subcontractors comply with all applicable laws and regulations, including all safety, health and environmental requirements pursuant to any government permit, license, or authorization. Contractor shall at its cost obtain all permits and licenses required by any governing authority in order to enable Contractor to provide its goods and services and otherwise perform its obligations under the Contract.

2. Labour Code

Contractor shall comply with all applicable provisions of the *Labour Code* (Nova Scotia) and the *Employment Standards Act* (Nova Scotia) and all regulations and amendments thereto.

3. Workers' Compensation Legislation

Contractor shall comply with the *Worker's Compensation Act* (Nova Scotia) and regulations and amendments thereto, and:

- (a) if any employees perform or assist in the performance of this Contract, the Contractor shall submit, at any time requested by the HRSB, a letter from the Workers' Compensation Board (Nova Scotia) stating that Contractor has an account in good standing with the Worker's Compensation Board;
- (b) the Contractor will make the necessary returns to the Workers' Compensation Board in accordance with government regulations and will pay all fees and contributions required in connection therewith. The cost of compensation will be included in the price payable under the Contract; and
- (c) the Contractor shall submit a clearance from the Workers' Compensation Board that all fees and contributions have been paid before final payment is made by the HRSB under the Contract.

4. Canada Safety Council and Associated Standards

All electrical, electronic and gas-fired equipment must bear the required approval markings, being C.S.A. approved for entirely electrical or electronic equipment and C.G.A. or C.S.A. approved for gas fired equipment. All other similar equipment approvals must also be obtained. It shall be the responsibility of the Contractor to obtain all applicable approvals, at its own expense.

5. Nova Scotia Occupational Health and Safety Legislation

Contractor shall comply at all times with the Nova Scotia Occupational Health and Safety Act, Regulation and Code, and it's amendments thereto.

C. SAFETY REQUIREMENTS

1. Safety Responsibility

Contractor shall be solely responsible for ensuring the safety and health of its agents, employees and subcontractors and for ensuring that its activities do not compromise the safety of HRSB's operations. Contractor shall provide to its agents, employees and subcontractors, at its own expense, any and all safety gear required to protect against injuries during the performance of the services and shall ensure that its agents, employees and subcontractors are knowledgeable of and utilize safe practices in the provision of the services, such practices to be at least as stringent as those set out in HRSB's safety standards provided to Contractor from time to time.

2. Project Site Protection and Safety

The Contractor shall protect the HRSB's property, staff and students, the Contractor's staff and the public, from damage or injury by providing adequate precautions to make the work site a safe environment at all times. In addition to complying with any safety standards provided to the Contractor by HRSB, the Contractor shall:

- (a) provide all guards and fences and other safety equipment;
- (b) respond to reports of hazards by HRSB;
- (c) do the following when work generating vibration, noise or safety concerns (including without limitation jack hammering, shot blasting, sandblasting, concrete cutting and use of powder actuated fasteners) may affect HRSB property, staff, students or operations.
 - (i) coordinate with HRSB representatives;
 - (ii) schedule and coordinate hours of work with HRSB input; and

- (iii) stop operations generating vibration, noise or safety concerns when instructed by HRSB.
- (d) Contractor responsible to ensure all spaces directly beneath the roof work area are protected from potential damage of dust, debris or water infiltration or any other impact resulting from the roof replacement project. Such protection shall include installation of effective cover using minimum 4 mil plastic vapour barrier sheeting over all furniture, equipment, instruction aids, floors areas and any other items underneath the work space. Contractor must remove all sheeting upon completion of work and will be responsible for costs of restoration of damages caused by process of roof project or lack of adequate protection of property.

3. Hazardous Materials

The Contractor shall:

- (a) develop and implement a written "Hazardous Materials Information" document to ensure that all persons at the work site are made aware of the existence of any hazardous materials such as asbestos, lead-based products, and PCB's;

D. CONTRACTOR EVALUATION

1. Audit

The HRSB reserves the right to audit Contractors and their subcontractor's health and safety performances during the term of the Contract and upon its conclusion.

2. Evaluation

The HRSB reserves the right to evaluate the performance of the Contractor and such evaluation will be based upon accident/injury data and adherence to this Schedule "C", the HRSB health and safety policies, applicable legislation, and periodic inspections and reports from HRSB employees. Information collected as part of such evaluations may be used for future reference.

E. HRSB REMEDIES FOR CONTRACTOR NON-COMPLIANCE

1. Emergency Work Stoppage

The HRSB has the authority to stop progress of the work whenever, in its opinion, such stoppage is desirable for any safety-related reason. The Contractor hereby agrees that no claim for loss of time or materials may be made with respect to such stoppage unless the claim for the time and materials and their value are certified in writing by the HRSB as allowable.

2. Termination for Non-Compliance

HRSB may terminate this Contract for non-compliance with health, safety, environmental and other applicable legislation and good industry practice on the part of the Contractor or any subcontractor of the Contractor, as constituting a material breach of this Contract. In addition, the HRSB reserves the right to stop the work of the Contractor in the event of Contractor's non-compliance with applicable legislation or good industry practice. Such work stoppages shall not postpone any agreed to completion dates and any additional cost

resulting from such work stoppages shall be borne by the Contractor. Work shall not resume until the Contractor rectifies the reason for non-compliance, to HRSB's satisfaction.

3. Non-Exclusive Remedies

Contractor acknowledges and agrees that the foregoing remedies available to HRSB are non-exclusive to, and may be exercised in conjunction with, any other rights or remedies available to HRSB, under the Contract, at law or in equity, in the event of threatened or actual breach of this Contract, including injunctive relief.

SAMPLE ONLY

APPENDIX "C"

DESCRIPTION OF SERVICES

- 1. Description of Services to be performed by Contractor, including any applicable standards of performance:

Description of Work:

As per Tender # drawings, specifications and scope of work

- 2. Municipal and Legal Description of the Lands:

Location of Work

- 3. Term: completion of work by ,

- 4. Invoicing: Services are to be paid for by HRSB:

- By scheduled progress payments (as agreed by both parties)
By single invoice upon project completion

- 5. Holdbacks: In compliance with "Section 13 - Holdbacks" of the Builder's Lien Act of Nova Scotia (incl. amendments), a holdback in the amount of ten percent (10%) of the contract may be held up to ninety (90) days after completion of the work, to the satisfaction of the Board.

- 6. HRSB Project Manager /Contractor Contact Information:

Table with Contractor and HRSB information fields. Includes a large 'SAMPLE ONLY' watermark.

Contractor's Initials HRSB's Initials

Exhibit A

Invitation To Tender

PROJECT SPECIFICATIONS/DRAWINGS WERE INCLUDED IN TENDER DOCUMENT AND ARE CONSIDERED PART OF THIS CONTRACT EVEN THOUGH THEY ARE NOT ATTACHED TO THIS DOCUMENT

Exhibit B

Response to Invitation to Tender

**A COPY OF THE SUCCESSFUL CONTRACTOR'S BID SUBMISSION IS ON FILE IN
THE PURCHASING DEPARTMENT - TENDER #3437**

APPENDIX "D"

**UNDERTAKING TO COMPLY FORM
AND CONTRACTOR SAFETY CHECKLIST**

UNDERTAKING TO COMPLY

Name of Contractor:

(the "Contractor")

Description of Agreement:

Site Location:

(the "Agreement")

7. The Contractor hereby undertakes to HRSB:
to comply with all health, safety and environmental legislation in the performance of this Agreement; and
to maintain a safe and healthy work environment during the performance of this Agreement.
8. The Contractor hereby agrees with HRSB:
that compliance with all health, safety and environmental legislation is a condition of this Agreement and that non-compliance with the same may, in HRSB's discretion, lead to the termination of this Agreement; and
to permit HRSB to audit the Contractor's health, safety and environmental records during the term of this Agreement and upon its conclusion and to cooperate fully with any such audit(s).
9. The Contractor understands that, at HRSB's discretion, any Contractor safety deficiencies will be addressed by HRSB in the following progressive steps:
the problems will be identified to the Contractor (site supervisor);
the Contractor's head office will be contacted about the problem, orally and later in writing;
if required by law to report the problem to a Provincial and or Federal Ministry, HRSB will immediately do so;
if not required by law to report the problem, and the problem remains unresolved, HRSB may report the problem; and
the Agreement may, in HRSB's discretion, be suspended or terminated and/or payment withheld by HRSB.

- 10. The Contractor acknowledges and agrees with HRSB that, depending upon the nature and/or seriousness of the deficiency, HRSB reserves the right to bypass any or all of the steps described in Section 3.
- 11. **Prime Contractor Designation:** The Contractor and the HRSB hereby agree that the Contractor shall, pursuant to Section 8.4 of the Agreement shall be the Prime Contractor.

The undersigned hereby confirms that he/she has the authority to bind the Contractor:

CONTRACTOR

**HALIFAX REGIONAL
SCHOOL BOARD**

FULL COMPANY NAME

PRINT NAME

AUTHORIZED SIGNATURE

POSITION

DATE

PRINT NAME

AUTHORIZED SIGNATURE

POSITION

DATE

SAMPLE ONLY

PRE-CONSTRUCTION MEETING
CONTRACTOR SAFETY CHECKLIST PAGE 1

MEETING DATE:	TENDER #:
----------------------	------------------

SITE LOCATION:

COMPANY NAME:

CONTRACTOR REPRESENTATIVE::

HRSB REPRESENTATIVE::

√ Means complied to	X Means not complied with	n/a means not applicable
----------------------------	----------------------------------	---------------------------------

- | | | |
|--|---|--|
| <p>1. Notice of Project filed with Nova Scotia Infrastructure (if applicable) <input type="checkbox"/></p> <p>2. Review Board Safety Compliance Undertaking to Comply Form Signed <input type="checkbox"/></p> <p style="padding-left: 20px;">Progressive Disciplinary Action Reviewed <input type="checkbox"/></p> <p>3. Contractor Health and Safety Policy <input type="checkbox"/></p> <p style="padding-left: 20px;">Prime Contractor and Safety Management Certificate <input type="checkbox"/></p> <p>4. Health & Safety Representatives/Joint Site Health & Safety Committee <input type="checkbox"/></p> <p style="padding-left: 20px;">Name and Phone _____</p> <p>5. Personal Protective Equipment:</p> <p style="padding-left: 20px;">Hard Hats <input type="checkbox"/></p> <p style="padding-left: 20px;">Footwear <input type="checkbox"/></p> <p style="padding-left: 20px;">Safety Glasses <input type="checkbox"/></p> | <p>8.</p> <p>9.</p> <p>10.</p> <p>11.</p> | <p>Contractor Staff Training: Emergency Response <input type="checkbox"/></p> <p>WHMIS Training Verification <input type="checkbox"/></p> <p>O H & S <input type="checkbox"/></p> <p>MSDS Received <input type="checkbox"/></p> <p>Scaffold <input type="checkbox"/></p> <p>Confined Space Code of Practice <input type="checkbox"/></p> <p>TDG Training Verification <input type="checkbox"/></p> <p>Working Alone <input type="checkbox"/></p> <p>Review Contractor Signage & Barricades <input type="checkbox"/></p> <p>Written Work Site Hazard Assessment and Control Plan/Schedule Submitted <input type="checkbox"/></p> <p>Building Fire Plan <input type="checkbox"/></p> |
|--|---|--|

SAMPLE ONLY

CONTRACTOR SAFETY CHECKLIST – PAGE 2

- | | | | |
|---|--------------------------|---|--------------------------|
| Hearing | <input type="checkbox"/> | 12. Accident Investigation/Notification/Reporting Procedure | <input type="checkbox"/> |
| Dust & Fumes | <input type="checkbox"/> | | |
| Face Protection | <input type="checkbox"/> | | |
| Others: _____ | <input type="checkbox"/> | 13. Contingency Plan for Control & Clean up of a Spill | <input type="checkbox"/> |
| _____ | <input type="checkbox"/> | | |
| _____ | <input type="checkbox"/> | 14. Fire Protection/Extinguishers | <input type="checkbox"/> |
| | | | |
| 6. Equipment Certification | | 15. First Aid Kits on Site | <input type="checkbox"/> |
| Trench Boxes | <input type="checkbox"/> | | |
| | | 16. First Aiders on Staff | <input type="checkbox"/> |
| Boom Cranes | <input type="checkbox"/> | Names: _____ | |
| Scaffolds | <input type="checkbox"/> | | |
| Others: _____ | <input type="checkbox"/> | 17. Fall Protection /Safety Harness | <input type="checkbox"/> |
| _____ | <input type="checkbox"/> | | |
| _____ | <input type="checkbox"/> | 18. Methane gas Detection in Sewer | <input type="checkbox"/> |
| | | | |
| 7. Provision of Hazardous Material Information to Contract | <input type="checkbox"/> | 19. Clean Up - Good Housekeeping | <input type="checkbox"/> |
| Confirmation of Employee Awareness of Hazardous Material | <input type="checkbox"/> | | |
| Asbestos | <input type="checkbox"/> | 20. Weekly Safety Talks/Meetings | <input type="checkbox"/> |
| Lead | <input type="checkbox"/> | | |
| PCB | | | |
| Confirmation that Prime Contractor reviewed Asbestos Inventory at the work site | <input type="checkbox"/> | 21. Other Issues | <input type="checkbox"/> |

SAMPLE ONLY



APPENDIX E

Project Safety Plan Outline

During the planning of each project, environmental and occupational health and safety issues will be assessed like any other key project component.

Prior to beginning a new project, tendering Contractors shall examine the work area to identify potentially hazardous site specific situations.

Once identified, these hazards should be prioritized on this Hazard Assessments/Project Safety Plan Outline and corrective *actions* noted to eliminate or control each hazard. The dates of when and names of the persons who are responsible for completing the *action* should also be assigned.

Copies of the completed Safety Plan Outline shall be submitted as part of the tender document submittal, sent to the HRSB Operations Services Regional Manager, made available on the job site and communicated to the workers.

Project Name: _____

Project Location: _____

Project Start date: _____

Project End date: _____

Company Name: _____

Completed by: _____
(Contractor's project manager)

Date: _____

Copy to: _____

PLANNING:

Does the Contractor's Occupational Health and Safety Program deal with the work activities associated with this project? Yes No

Describe tasks to be undertaken: _____

HAZARDS ASSESSMENT:

Identify the hazards that could present themselves on this project (e.g. live electrical wires, over water, confined space, etc) and describe what steps will be taken to prevent an incident (e.g. cover up, de-energize, safe work practices, netting, etc). Prioritize from #1 as needing immediate action.

#	Hazard	Required Action	Completed by	Date
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

ENVIRONMENTAL ASSESSMENT:

Identify the environmental issues that could present themselves on this project (e.g. oil spills, asbestos, etc.) and describe the action that will be taken to eliminate or reduce the risk of occurrence (e.g. mop kits, air sampling, etc.)

#	Hazard	Required Action	Completed by	Date
1				
2				
3				
4				
5				

EMERGENCY RESPONSE:

In the event of an incident, pre-plan the response and write up the procedures. Minimally, the following list should be completed and posted on site:

Contact	Phone #	Contact	Phone #
Fire	911	Poison Control	428-8161
Ambulance	911	Dangerous Goods	1-800-565-1633
Doctor	911	Waste Disposal	
Police	911	Insurance	
HRSB Office	493-5110	Min/Dept of Labour	1-800-952-2687
Min./Dept.of Transport.		Min/Dept of Environment	1-800-565-1633

- Identify and arrange source of first aid, ambulance and rescue.
- Accidents will be reported to: _____
- Accidents will be investigated by: _____
- Back-up call to: _____
- HRSB # emergency/after hours: day 493-5110 after 4:00 pm 442-2476

SAFETY MEETINGS:

On this project, given the nature of the work and the anticipated size of the work force, the following frequency will apply:

Site meetings _____

Site Audits _____

Follow up with HRSB Manager: _____

SITE IMPLEMENTATION:

- Health and Safety Rep & Safety Committee:
Establish liaison between HRSB, Contractor, site administration
First Aid, PPE, other safety items as required.

- Documentation:
Applicable MSDS
Safety program
Applicable work procedures
Permits
First Aid Certification

TRAINING:

The following training/testing will be mandatory on site:

1) _____

2) _____

3) _____

TENTATIVE SCHEDULE OF WORK:

- 1) Date Project Will Commence: _____
- 2) Number of Weeks to Complete Project: _____ weeks
- 3) Expected Completion Date: _____

NOTE:

Within two weeks of tender award the successful bidder shall provide a schedule clearly indicating timelines for completion of all aspects of the project.

APPENDIX F

CONTRACTOR'S CHECKLIST

Enclose the following documents with your bid:

- Bid Security as required in Clause 1.3 (e)*** in the amount of 10% of the Contract Price (before HST).
- Contract Security for bids over \$100,000 as required in Clause 1.3 (f).***
- Certificate of Insurance*** indicating a minimum of **\$5,000,000 Commercial General Liability Insurance** per occurrence and **Commercial Auto Liability Insurance** covering all owned, non-owned and hired vehicles for a minimum combined single limit of \$2,000,000 per occurrence and **Builder's Risk Insurance** in the amount of the contract price.
- Tentative Work Schedule (Timelines)*** – Subsequently, within five (5) business days of tender award the successful bidder shall provide a schedule clearly indicating timelines for completion of all aspects of the project.
- Workers' Compensation Board Letter*** of Good Standing
- Certificate of Recognition from one of the seven safety audit companies that jointly sign with the WCB:***
 - East Coast Mobile Medical Inc.
 - HSE Integrated
 - Nova Scotia Construction Safety Association
 - Nova Scotia Trucking Safety Association
 - Occupational Health & Educational Services (2002) Inc.
 - Safety Services Nova Scotia
 - Stantec Inc.

This list can be found on WCB's website: www.wcb.ns.ca.
- Completed HRSB Safety Plan***
- Applicable Warranty Information***

Part 1 General

1.1 PROJECT:

- .1 Dust Collection System Remediation for the Halifax Regional School Board, for Cole Harbour District High School, for the installation of one (1) only owner supplied dust collector (c/w silencer, flameless vent, accessories) as well as required work described in contract drawings M-101; M-102; E-101 and E-102.

1.2 OWNER:

- .1 Halifax Regional School Board (HRSB)

.2 CONSULTANT:

MCW Maricor (Consultants)

1.3 BID SECURITY:

- .1 As identified in the HRSB Tender/Bid Form.

1.4 WORK COVERS:




- .1 Dust collection system remediation of existing school wood-working areas, including but not limited to:
 - .1 Visiting and assessing all schools in detail relative to scope of work.
 - .2 Complete all up-front pre-delivery work in readiness for the installation of owner supplied equipment, as well as specified equipment.
 - .3 All aspects of owner-supplied equipment including but not limited to delivery, assembly, installation, connection, start-up, verification, commissioning, warranty administration, and warranty service of the central dust collector.
 - .4 NS TIR Pre-purchased owner supplied main dust collector is to be delivered by the manufacturer (ACT) to CHDHS. Contractor is required to coordinate delivery and be at the school to accept delivery and unload the unit. The contractor is to include for all boom truck/crane costs. Temporarily protect the dust collector. Install dust collector as per contract documents.
 - .5 Include dust collection system ductwork, fittings, hoods at equipment, and insulation as required.
 - .6 Refurbish and reinstall existing backdraft damper as indicated/noted on contract drawings.
 - .7 Include electrical services and connections for dust collector and associated equipment including the control panel, emergency stop buttons, and work as indicated on the contract drawings. Ensure the system is made a complete and working package.
 - .8 Bond all new metallic components of system to ground.
 - .9 Installation and responsibility for Owner-supplied equipment including dust collector. Contractor shall liaise with the manufacturer as required for the

- complete installation as well as perform associated coordination/ troubleshooting of any defects or malfunctions in the equipment.
- .10 Insulate and seal around existing duct penetration as indicated/noted on contract drawings.
 - .11 Testing, and participation in commissioning, participation in approvals, participation in training and demonstration for users, provision of complete operations and maintenance manuals, as-builts. Complete pre-commissioning verification forms.
 - .12 Final ductwork extensions, electrical connections, startup, testing, etc. will be required after the dust collector installation is complete.
 - .13 Restore applicable areas of work and industrial arts rooms to level of cleanliness as present at initial start of work. Cleanup all dust, debris, etc. as a direct result of contractor's scope of work. Repair/Finish all associated damage to match existing. Vacuum clean all affected areas when complete.
 - .14 Contractors must in all cases familiarize themselves with the existing project sites and associated conditions. Do not scale drawings. Ensure that dust collector locations, and required ductwork runs (including verticals and transitions) are measured accurately and based on existing on site conditions. Confirm and coordinate exact distances and locations with HRSB. Ensure that there is no interference of new equipment with existing building wall projections, roof lines, fascias, soffits, existing equipment or services etc. located at the interior or exterior. No plea of ignorance of such conditions as a result of failure to make all up front and necessary site examinations will be accepted as a basis for extra compensation or extension of time after tender award.
 - .15 The contractor is to submit a schedule of construction complete with start, finish, and commissioning dates. Substantial completion (including final commissioning) will be completed no later than four (4) weeks after delivery of the owner supplied dust collector.

1.5 LOCATION OF WORK


- .1 School Name and location:
 - .1 Cole Harbour District High School; 2 Chameau Crescent, Dartmouth, NS, B2W 4X4

END




M-101 DUST COLLECTOR DUCTWORK PLAN


SCALE: 1:50



M-101 REVISED PLANER DETAIL




M-101 REVISED SAWSTOP TABLE SAW DETAIL



M-101 DUST COLLECTOR SOUTH ELEVATION

SCALE: 1:50



M-101 DUST COLLECTOR WEST ELEVATION

SCALE: 1:50

2014/02/07		FOR TENDER
2013/11/28		FOR REVIEW
DATE	MARK	ISSUE
STAMP		
SCALE	AS NOTED	
DRAWN BY:	DWL	
CHECKED BY:	RP	
REVIEWED BY:	TL	
APPROVED BY:	-	
AS-BUILT CHECK		
DATE:	NOV. 2013	
PROJECT		
COLE HARBOUR HIGH SCHOOL DUST COLLECTION REMEDIATION		
COLE HARBOUR, NS		
PROJECT NO.:	10-13-019	
SHEET TITLE		
DUST COLLECTION SYSTEM PLAN, SECTIONS & DETAILS		

GENERAL

- .1 THE CONTRACTOR SHALL PERFORM ALL WORK IN ACCORDANCE WITH DRAWINGS AND AS SPECIFIED HEREIN.
- .2 PROVIDE ELECTRONIC COPIES OF SHOP DRAWINGS OF ALL ITEMS AND EQUIPMENT FOR REVIEW PRIOR TO ORDERING.
- .3 THE CONTRACTOR SHALL BEAR COSTS AND OBTAIN ALL PERMITS AND LICENSES TO PERFORM THE REQUIRED WORK.
- .4 INSTALL EQUIPMENT AND FIXTURES WITH ADEQUATE CLEARANCES TO PERFORM MAINTENANCE.
- .5 THE CONTRACTOR SHALL ENLIST THE SERVICES OF AN ABC MEMBER TO BALANCE TO WITHIN 10% OF FLOWS INDICATED. SUBMIT REPORT TO ENGINEER UPON COMPLETION OF BALANCING. PROVIDE EQUIPMENT AND PERSONNEL TO DEMONSTRATE UP TO 100% OF READINGS ON EACH BALANCED SYSTEM TO ENGINEER AT SYSTEM COMMISSIONING
- .6 WHERE MANUFACTURER'S NAME IS USED, IT IS TO ESTABLISH A STANDARD OF ACCEPTANCE. ENGINEER'S APPROVAL MUST BE RECEIVED TO USE ALTERNATE PRODUCTS.
- .7 THE CONTRACTOR SHALL PRESERVE ALL LUBRICATION AND MAINTENANCE DATA FOR INCORPORATION INTO MAINTENANCE
- .8 PROVIDE THREE (3) COPIES OF MAINTENANCE MANUALS IN "D" RING BINDERS. IN ADDITION TO AN ELECTRONIC COPY.
- .9 THE CONTRACTOR SHALL GIVE WRITTEN TWENTY-FOUR (24) HOUR NOTICE OF DATE FOR TESTS.
- .10 INSULATE OR CONCEAL WORK ONLY AFTER TESTING AND APPROVAL BY ALL AUTHORITIES HAVING JURISDICTION. CONDUCT TEST IN PRESENCE OF ENGINEER. CONTRACTOR SHALL BEAR COSTS INCLUDING RETESTING AND MAKING GOOD.
- .11 APPLY AT LEAST ONE COAT OF CORROSION RESISTANT PRIMER TO FERROUS SUPPORTS AND SITE FABRICATED EQUIPMENT AND PAINT TO MATCH.
- .12 ALL WORK AND MATERIALS SHALL BE GUARANTEED FOR A MINIMUM OF ONE (1) YEAR FROM THE DATE OF SUBSTANTIAL COMPLETION
- .13 THE CONTRACTOR SHALL CLEAN ALL SYSTEMS THOROUGHLY BEFORE OPERATING.
- .14 PERFORM ALL WORK IN ACCORDANCE WITH ALL CODES, STANDARDS, NATIONAL BUILDING CODE LATEST EDITION, AND ALL AUTHORITIES HAVING JURISDICTION.
- .15 SUPPLY ANCHOR BOLTS & TEMPLATES FOR INSTALLATION
- .16 FIRE STOP ALL FIRE PENETRATIONS IN ACCORDANCE WITH NFPA LATEST EDITION.
- .17 INSTALL ESCUTCHEONS ON ALL PENETRATIONS IN FINISHED AREAS. ESCUTCHEONS SHALL BE c/w SET SCREWS AND SHALL COMPLETELY COVER OPENING OR SLEEVE.
- .18 DEMONSTRATION, OPERATING AND MAINTENANCE INSTRUCTIONS: SUPPLY TOOLS, EQUIPMENT AND PERSONNEL TO DEMONSTRATE AND INSTRUCT OPERATING AND MAINTENANCE PERSONNEL IN OPERATING, CONTROLLING, ADJUSTING, TROUBLESHOOTING AND SERVICING OF ALL SYSTEMS AND EQUIPMENT DURING REGULAR WORKING HOURS, PRIOR TO ACCEPTANCE.
- .19 CLEAN INTERIOR AND EXTERIOR OF ALL SYSTEMS. VACUUM INTERIOR OF DUCTWORK AND DUST COLLECTOR. IN PREPARATION FOR FINAL ACCEPTANCE, CLEAN AND REFURBISH ALL EQUIPMENT AND LEAVE IN OPERATING CONDITION.
- .20 AS-BUILT DRAWINGS:
 - .1 PRIOR TO START OF TESTING, ADJUSTING AND BALANCING (TAB), FINALIZE PRODUCTION OF AS-BUILT DRAWINGS AT OWN COST IN AUTOCAD DWG FORMAT.
 - .2 IDENTIFY EACH DRAWING IN LOWER RIGHT HAND CORNER AS "AS-BUILT DRAWING; THIS DRAWING HAS BEEN REVISED TO SHOW SYSTEMS AS INSTALLED", SIGNATURE OF CONTRACTOR AND DATE.
 - .3 SUBMIT TO ENGINEER FOR APPROVAL AND MAKE CORRECTIONS AS DIRECTED.
 - .4 TAB TO BE PERFORMED USING AS-BUILT DRAWINGS.
 - .5 SUBMIT COMPLETED REPRODUCIBLE AS-BUILT DRAWINGS WITH OPERATING AND MAINTENANCE MANUALS.

COMMISSIONING REQUIREMENTS

GENERAL

- 1.1 SUMMARY
 - .1 SECTION INCLUDES:
 - .1 GENERAL REQUIREMENTS RELATING TO COMMISSIONING OF PROJECT'S COMPONENTS AND SYSTEMS, SPECIFYING GENERAL REQUIREMENTS OF COMPONENTS, EQUIPMENT, AND SYSTEMS.
 - .2 ACRONYMS:
 - .1 CX - COMMISSIONING.
 - .2 O&M - OPERATION AND MAINTENANCE.
 - .3 TAB - TESTING, ADJUSTING AND BALANCING.
- 1.2 GENERAL
 - .1 CONTRACTOR ASSISTS IN CX PROCESS, OPERATING EQUIPMENT AND SYSTEMS, TROUBLESHOOTING AND MAKING ADJUSTMENTS AS REQUIRED. CX IS A PLANNED PROGRAM OF TESTS, PROCEDURES AND CHECKS CARRIED OUT SYSTEMATICALLY ON SYSTEMS AND INTEGRATED SYSTEMS OF THE FINISHED PROJECT. CX IS PERFORMED AFTER SYSTEMS AND INTEGRATED SYSTEMS ARE COMPLETELY INSTALLED, FUNCTIONAL AND CONTRACTOR'S PERFORMANCE VERIFICATION RESPONSIBILITIES HAVE BEEN COMPLETED AND APPROVED. CX SHALL VERIFY INSTALLED EQUIPMENT AND SYSTEMS OPERATE IN ACCORDANCE WITH CONTRACT DOCUMENTS AND DESIGN CRITERIA AND INTENT.
 - .2 GENERALLY, THE FOLLOWING SYSTEMS WILL BE PART OF THE CX PROCESS. THE LIST SHALL BE MODIFIED AS NECESSARY THROUGHOUT THE PROJECT:
 - .1 DUST COLLECTORS
 - .2 FANS AND MOTORS
 - .3 CONTROLS
 - .4 FILTERS
 - .5 DEFLAGRATION VENTS
 - .6 INTERNAL COMPONENTS
 - .7 BLAST GATES
 - .8 DEFLAGRATION ZONE FENCING
 - .9 PATCHING AND FINISHING
 - .10 DUST COLLECTOR STRUCTURAL SUPPORTS.
 - .11 SYSTEM BONDING AND GROUNDING
 - .3 SYSTEMS TO BE OPERATED AT A VARIETY OF OPERATING CONDITIONS DETERMINE IF THEY FUNCTION CORRECTLY AND CONSISTENTLY.
- 1.3 COMMISSIONING OVERVIEW
 - .1 CX IS CONDUCTED IN CONCERT WITH ACTIVITIES PERFORMED DURING STAGE OF PROJECT DELIVERY. CX IDENTIFIES ISSUES IN PLANNING AND DESIGN STAGES WHICH ARE ADDRESSED DURING CONSTRUCTION AND CX STAGES TO ENSURE THE FINAL SYSTEM IS CONSTRUCTED AND PROVEN TO OPERATE SATISFACTORILY UNDER WEATHER, ENVIRONMENTAL AND OCCUPANCY CONDITIONS TO MEET FUNCTIONAL AND OPERATIONAL REQUIREMENTS.
 - .2 CONSULTANT WILL ISSUE INTERIM ACCEPTANCE CERTIFICATE WHEN:
 - .1 COMPLETED CX DOCUMENTATION HAS BEEN RECEIVED, REVIEWED FOR SUITABILITY AND APPROVED BY CONSULTANT.
 - .2 EQUIPMENT, COMPONENTS AND SYSTEMS HAVE BEEN COMMISSIONED.

COMMISSIONING REQUIREMENTS - CONT'D

- 1.4 NON-CONFORMANCE TO PERFORMANCE VERIFICATION REQUIREMENTS
 - .1 SHOULD EQUIPMENT, SYSTEM COMPONENTS, AND ASSOCIATED CONTROLS BE INCORRECTLY INSTALLED OR MALFUNCTION DURING CX, CORRECT DEFICIENCIES, RE-VERIFY EQUIPMENT AND COMPONENTS WITHIN THE UN-FUNCTIONAL SYSTEM, INCLUDING RELATED SYSTEMS AS DEEMED REQUIRED BY CONSULTANT TO ENSURE EFFECTIVE PERFORMANCE.
 - .2 COSTS FOR CORRECTIVE WORK, ADDITIONAL TESTS, INSPECTIONS, TO DETERMINE ACCEPTABILITY AND PROPER PERFORMANCE OF SUCH ITEMS TO BE BORNE BY CONTRACTOR. ABOVE COSTS TO BE IN FORM OF PROGRESS PAYMENT REDUCTIONS OR HOLD-BACK ASSESSMENTS.
- 1.5 PRE-CX REVIEW
 - .1 BEFORE START OF CX:
 - .1 ENSURE INSTALLATION OF RELATED COMPONENTS, EQUIPMENT, SUB-SYSTEMS, SYSTEMS IS COMPLETE.
 - .2 UNDERSTAND COMPLETELY DESIGN CRITERIA AND INTENT AND SPECIAL FEATURES.
 - .3 SUBMIT COMPLETE START-UP AND PRE-CX DOCUMENTATION TO CONSULTANT
 - .4 COMPLETE TAB PROCEDURES ON SYSTEMS, SUBMIT TAB REPORTS TO CONSULTANT FOR REVIEW AND APPROVAL.
- 1.6 STARTING AND TESTING
 - .1 CONTRACTOR ASSUMES LIABILITIES AND COSTS FOR INSPECTIONS, INCLUDING DISASSEMBLY AND RE-ASSEMBLY AFTER APPROVAL, STARTING, TESTING AND ADJUSTING, INCLUDING SUPPLY OF TESTING EQUIPMENT.
- 1.7 PROCEDURES
 - .1 VERIFY THAT EQUIPMENT AND SYSTEMS ARE COMPLETE, CLEAN, AND OPERATING IN NORMAL AND SAFE MANNER PRIOR TO CONDUCTING START-UP, TESTING AND CX.
 - .2 VISUAL INSPECTION OF QUALITY OF INSTALLATION.
 - .3 OPERATIONAL TESTING: DOCUMENT EQUIPMENT PERFORMANCE.
 - .4 CORRECT DEFICIENCIES AND OBTAIN APPROVAL FROM CONSULTANT AFTER DISTINCT PHASES HAVE BEEN COMPLETED AND BEFORE COMMENCING NEXT PHASE.
- 1.8 OPERATION AND MAINTENANCE OF EQUIPMENT AND SYSTEMS
 - .1 AFTER START-UP, OPERATE AND MAINTAIN EQUIPMENT AND SYSTEMS AS DIRECTED BY EQUIPMENT/SYSTEM MANUFACTURER.
 - .2 OPERATE AND MAINTAIN SYSTEMS FOR LENGTH OF TIME REQUIRED FOR COMMISSIONING TO BE COMPLETED.
 - .3 AFTER COMPLETION OF COMMISSIONING, OPERATE AND MAINTAIN SYSTEMS UNTIL ISSUANCE OF CERTIFICATE OF INTERIM ACCEPTANCE.
- 1.9 TEST RESULTS
 - .1 IF START-UP AND TESTING PRODUCE UNACCEPTABLE RESULTS, REPAIR, REPLACE OR REPEAT SPECIFIED STARTING AND TESTING PROCEDURES UNTIL ACCEPTABLE RESULTS ARE ACHIEVED.
 - .2 PROVIDE MANPOWER AND MATERIALS, ASSUME COSTS FOR RE-COMMISSIONING.
- 1.10 INSTRUMENTS / EQUIPMENT
 - .1 SUBMIT TO CONSULTANT FOR REVIEW AND APPROVAL:
 - .1 COMPLETE LIST OF INSTRUMENTS PROPOSED TO BE USED.
 - .2 LISTED DATA INCLUDING, SERIAL NUMBER, CURRENT CALIBRATION CERTIFICATE, CALIBRATION DATE, CALIBRATION EXPIRY DATE AND CALIBRATION ACCURACY.
 - .2 PROVIDE EQUIPMENT AS REQUIRED TO COMPLETE WORK.
- 1.11 COMMISSIONING PERFORMANCE VERIFICATION
 - .1 CARRY OUT CX UNDER ACCEPTED SIMULATED OPERATING CONDITIONS, OVER ENTIRE OPERATING RANGE, IN ALL MODES.
 - .2 CX PROCEDURES TO BE REPEATABLE AND REPORTED RESULTS ARE TO BE VERIFIABLE
 - .3 FOLLOW EQUIPMENT MANUFACTURER'S OPERATING INSTRUCTIONS.
- 1.12 WITNESSING COMMISSIONING
 - .1 CONSULTANT TO WITNESS ACTIVITIES AND VERIFY RESULTS. CONTRACTOR AND CONTRACTOR'S AIR-BALANCER TO BE PRESENT IN ORDER TO VERIFY TAB RESULTS.
- 1.13 DEFICIENCIES, FAILTS, DEFECTS
 - .1 CORRECT DEFICIENCIES FOUND DURING START-UP AND CX TO SATISFACTION OF CONSULTANT.
 - .2 REPORT PROBLEMS, FAILTS OR DEFECTS AFFECTING CX TO CONSULTANT IN WRITING. STOP CX UNTIL PROBLEMS ARE RECTIFIED. PROCEED WITH WRITTEN APPROVAL FROM CONSULTANT.
- 1.14 COMPLETION OF COMMISSIONING
 - .1 UPON COMPLETION OF CX LEAVE SYSTEMS IN NORMAL OPERATING MODE.
- 1.15 ACTIVITIES UPON COMPLETION OF COMMISSIONING
 - .1 WHEN CHANGES ARE MADE TO BASELINE COMPONENTS OR SYSTEM SETTINGS ESTABLISHED DURING CX PROCESS, PROVIDE UPDATED CX FORM FOR AFFECTED ITEM.
- 1.16 PERFORMANCE VERIFICATION TOLERANCES
 - .1 APPLICATION TOLERANCES:
 - .1 SPECIFIED RANGE OF ACCEPTABLE DEVIATIONS OF MEASURED VALUES FROM SPECIFIED VALUES OR SPECIFIED DESIGN CRITERIA. EXCEPT FOR SPECIAL AREAS, TO BE WITHIN +/- 10% OF SPECIFIED VALUES.
 - .2 INSTRUMENT ACCURACY TOLERANCES:
 - .1 TO BE OF HIGHER ORDER OF MAGNITUDE THAN EQUIPMENT OR SYSTEM BEING TESTED.
 - .3 MEASUREMENT TOLERANCES DURING VERIFICATION:
 - .1 UNLESS OTHERWISE SPECIFIED ACTUAL VALUES TO BE WITHIN +/- 2% OF RECORDED VALUES.
- 1.17 OWNER'S PERFORMANCE TESTING
 - .1 PERFORMANCE TESTING OF EQUIPMENT OR SYSTEM BY CONSULTANT WILL NOT RELIEVE CONTRACTOR FROM COMPLIANCE WITH SPECIFIED START-UP AND TESTING PROCEDURES.

DUST COLLECTOR

- 1.1 STRUCTURAL
 - .2 STRUCTURAL SUPPORT DESIGN FOR 75MPH WIND LOAD AND ALL DEFLAGRATION REACTION FORCES.
 - .3 WHERE SPECIFIED, DEFLAGRATION DEFLECTOR AND FLAMELESS VENTS STRUCTURALLY SUPPORTED TO MANUFACTURER'S RECOMMENDATIONS AND NFPA REQUIREMENTS.
- 1.2 INLET FITTINGS
 - .1 FABRICATE TO WITHSTAND DESIGN PRESSURE
 - .2 FABRICATE WITH HEMMED EDGES, CLOSED CORNERS, AND REINFORCED FOR SPAN AND ATTACHMENT. WITH DUCT CONNECTION; PRIME COATED.
- 1.3 PAINTING AND PROTECTIVE COVERING
 - .1 SUPPLY AND APPLY TOUCH UP PAINT AS REQUIRED TO FIX ANY DISRUPTIONS TO DUST COLLECTOR SURFACE FINISHES. COLOR TO MATCH.
- 1.4 INSTALLATION
 - .1 INSTALL EQUIPMENT TO MANUFACTURER'S WRITTEN INSTRUCTIONS.
 - .2 INSTALL TO NFPA 91 AND SMACNA ROUND INDUSTRIAL DUCT CONSTRUCTION STANDARD AND ACGIH INDUSTRIAL VENTILATION MANUAL EXCEPT AS INDICATED.
 - .3 DO NOT OPERATE FANS FOR ANY PURPOSE UNTIL DUCTWORK IS CLEAN, FILTERS ARE IN PLACE, BEARINGS LUBRICATED, AND FAN HAS BEEN TEST RUN UNDER OBSERVATION.
 - .4 INSTALL FANS WITH RESILIENT MOUNTINGS AND FLEXIBLE ELECTRICAL LEADS. REFER TO ELECTRICAL.
 - .5 INSTALL DUST COLLECTOR FLAT AND LEVEL AND SECURELY FASTEN TO CONCRETE PAD AS INDICATED ON CONTRACT DRAWINGS.
 - .6 PROVIDE PITOT TUBE OPENINGS FOR TESTING OF SYSTEM WITH PLASTIC CAP TO ENSURE AGAINST AIR LEAKAGE.
 - .7 LOCATE DUCTS WITH SUFFICIENT SPACE AROUND EQUIPMENT TO ALLOW NORMAL OPERATING AND MAINTENANCE ACTIVITIES.

VENTILATION

DUCTWORK

- .1 MATERIAL:
 - .1 GALVANIZED STEEL WITH Z90 DESIGNATION ZINC COATING LOCK FORMING QUALITY: TO ASTM A653/A653M.
- .2 THICKNESS: TO SMACNA.
- 2. CONSTRUCTION - ROUND.
 - .1 DUCTS: SMACNA CLASS 3 DUCT, CLASS A SEAL; SMOOTH INTERIOR FOR MATERIAL TRANSPORT.
- 2. FITTINGS:
 - .1 ELBOWS: SMOOTH RADIUS OR MINIMUM FIVE-PIECE (FOR 90 DEGREES), THREE-PIECE (FOR 45 DEGREES). MINIMUM CENTRELINE RADIUS: 1.5 x DIAMETER.
 - .2 BRANCHES: CONICAL TRANSITION WITH CONICAL BRANCH AT 30 DEGREES AND 60 DEGREE ELBOW.
 - .3 ACCEPTABLE MATERIALS:
 - .1 CONTRACTOR FABRICATED TO SMACNA CLASS 3
 - .2 K-B DUCT.
 - .3 NORD FAB.
 - .4 ALTERNATES SUBJECT TO ENGINEER'S APPROVAL.
- 3. SEALING AND TAPING:
 - .1 APPLY SEALANT IN ACCORDANCE WITH SMACNA AND TO MANUFACTURER'S RECOMMENDATIONS.

INSULATION

- .1 MINERAL FIBRE BLANKET TO ASTM C553.
- .2 ALUMINUM JACKETING TO ASTM B209 COMPLETE WITH MOISTURE BARRIER.
 - .1 THICKNESS: 0.5MM
 - .2 JACKET BANDING AND MECHANICAL SEALS: 12MM WIDE, 0.5MM THICK STAINLESS STEEL.
- .3 PRE-INSTALLATION REQUIREMENTS: ENSURE SURFACES ARE CLEAN, DRY AND FREE FROM FOREIGN MATERIAL.
- .4 INSTALL IN ACCORDANCE WITH TAC NATIONAL STANDARDS.
- .5 APPLY HIGH COMPRESSIVE STRENGTH INSULATION WHERE INSULATION MAY BE COMPRESSED BY WEIGHT OF DUCTWORK.

FLEXIBLE DUCTING

- .1 INDUSTRIAL GRADE, BONDED HOSE.
- .2 WIRE RING REINFORCED.
- .3 SMOOTH INTERIOR FOR MATERIAL TRANSPORT.
- .4 BONDING AS INDICATED ON DRAWINGS.
- .5 STANDARD OF ACCEPTANCE:
 - .1 K-B DUCT.
 - .2 NORD FAB.
 - .3 ALTERNATES SUBJECT TO ENGINEER'S APPROVAL.

BLAST GATES

- .1 FACTORY BUILT.
- .2 FULL COLLAR OF CAST ALUMINUM OR STEEL, WITH GALVANIZED STEEL SLIDE, SET SCREW AND INTEGRAL LOCKING DEVICE.
- .3 PROVIDE BLAST GATES c/w ACCESSORIES, COMPONENTS AND DUCT TAPS ON ALL DUCT BRANCHES AND AS REQUIRED TO BALANCE THE SYSTEM TO THE AIRFLOW SPECIFIED FOR EACH DUST COLLECTION POINT AND AS INDICATED.
- .4 FOLLOWING SYSTEM BALANCING, TIGHTEN IN PLACE AND MARK NEATLY IN PERMANENT MARKER.
- .5 STANDARD OF ACCEPTANCE:
 - .1 K-B DUCT.
 - .2 NORD FAB.
 - .3 ALTERNATES SUBJECT TO ENGINEER'S APPROVAL.

SYSTEM BONDING


- .1 REFERENCE NFPA 77: RECOMMENDED PRACTICE ON STATIC ELECTRICITY.
- .2 ENTIRE SYSTEM SHALL BE ELECTRICALLY BONDED FOR STATIC DISSIPATION.
- .3 ALL BONDING WIRE SHALL BE #12AWG BARE COPPER OR WITH GREEN INSULATION.
- .4 SEE DRAWINGS FOR INSTRUCTIONS FOR BONDING INDIVIDUAL SYSTEM ELEMENTS.

INSTRUMENTS TEST PORTS


- 1. GENERAL:
 - .1 INSTALL IN ACCORDANCE WITH RECOMMENDATIONS OF SMACNA AND IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS.
 - .2 LOCATE TO PERMIT EASY MANIPULATION OF INSTRUMENTS.
 - .3 LOCATIONS FOR TRAVERSE READINGS:
 - .1 MAIN DUCTS.
 - .2 AS INDICATED.



KEY PLAN



LOGO













2014/02/07		FOR TENDER
2013/11/28		FOR REVIEW
DATE	MARK	ISSUE

STAMP

SCALE	AS NOTED
DRAWN BY:	DWL
CHECKED BY:	RP
REVIEWED BY:	TL
APPROVED BY:	-
AS-BUILT CHECK	
DATE:	NOV. 2013

PROJECT
 COLE HARBOUR
 HIGH SCHOOL
 DUST COLLECTION
 REMEDIATION
 COLE HARBOUR, NS
 PROJECT NO.: 10-13-019
 SHEET TITLE
 DUST COLLECTION
 SPECIFICATIONS

M-102- P1



2014/02/07	FOR TENDER
2013/11/26	FOR REVIEW
DATE	MARK
DATE	ISSUE
STAMP	
SCALE	AS NOTED
DRAWN BY:	DWL
CHECKED BY:	DC
REVIEWED BY:	TL
APPROVED BY:	-
AS-BUILT CHECK	
DATE:	NOV. 2013
PROJECT	COLE HARBOUR HIGH SCHOOL DUST COLLECTION REMEDIATION COLE HARBOUR, NS
PROJECT NO.:	10-13-019
SHEET TITLE	DUST COLLECTION ELECTRICAL PLAN, SECTIONS & DETAILS
E-101-P1	
SHEET 1 OF 2	

ELECTRICAL SPECIFICATIONS:

1. GENERAL

1. THIS WORK SHALL BE GOVERNED BY THE GENERAL CONDITIONS, SUPPLEMENTARY CONDITIONS AND LABOUR CONDITIONS OF THE GENERAL CONTRACT, AND ALL PROVISIONS OF DIVISION '1' OF WHICH THIS SPECIFICATIONS FORMS A PART.

2. IN ADDITION TO THE ABOVE, ALL GENERAL CLAUSES HEREINAFTER SHALL FORM PART OF THE SPECIFICATIONS FOR ALL ELECTRICAL TRADES.

3. ALL WORK TO MEET OR EXCEED THE NATIONAL BUILDING CODE OF CANADA (NBC-2002), THE CANADIAN ELECTRICAL CODE (CEC-2012).

2. SCOPE OF WORK

1. THIS CONTRACTOR TO INCLUDE THE FURNISHING OF ALL LABOUR, MATERIALS, TOOLS AND EQUIPMENT REQUIRED TO COMPLETE THE WORK AS SPECIFIED HEREINAFTER OR AS SHOWN ON DRAWINGS.

A. DISTRIBUTION AND PANEL BOARDS AS INDICATED.

B. POWER FOR MECHANICAL EQUIPMENT.

3. MATERIALS

1. THE LISTING HEREINAFTER OF ANY ARTICLE, MATERIAL, OPERATION OR METHOD REQUIRES THAT THIS CONTRACTOR SUPPLY EACH ITEM AS LISTED OR THE APPROVED ALTERNATE OF THE QUALITY NOTED AND QUANTITY REQUIRED, PERFORM EACH OPERATION ACCORDING TO THE METHOD PRESCRIBED, SUPPLYING THEREFORE, ALL NECESSARY LABOUR & INCIDENTALS.

2. ALL MATERIAL, APPARATUS OR EQUIPMENT CALLED FOR BY TRADE NAMES, OR MANUFACTURER'S NAME OR CATALOGUE REFERENCE ON DRAWINGS OR IN SPECIFICATIONS ARE TO CLEARLY DESCRIBE THE QUALITY OF THE PRODUCT THAT IS DESIRED FOR THE WORK. IN NO CASE WILL AN ITEM OTHER THAN THAT SPECIFIED OR APPROVED AS AN ALTERNATE AS LISTED BY ADDENDUM BE CONSIDERED.

4. DRAWINGS

1. THE DRAWINGS FORMING THE BASIS OF THIS CONTRACT DO NOT SHOW ALL ARCHITECTURAL AND STRUCTURAL DETAILS AND ANY INFORMATION INVOLVING ACCURATE MEASUREMENTS OF THE BUILDING, TO BE TAKEN FROM ARCHITECTURAL DRAWINGS OR AT THE BUILDING. MAKE WITHOUT ADDITIONAL CHARGE OR EXPENSE TO THE OWNER, ANY NECESSARY CHANGES OR ADDITIONS TO THE RUNS OF CONDUITS & WIRE LINES TO ACCOMMODATE STRUCTURAL CONDITIONS. THE LOCATIONS OF CONDUITS AND EQUIPMENT MAY BE ALTERED WITHOUT CHARGE TO THE OWNER, PROVIDED THE CHANGE IS MADE BEFORE INSTALLATION, DOES NOT NECESSITATE ADDITIONAL MATERIAL, AND IS APPROVED BY THE ENGINEER. THE LOCATIONS OF ELECTRICAL OUTLETS, LIGHTS ETC., MAY BE ALTERED UP TO A DISTANCE OF TEN FEET (10') WITHOUT CHARGE TO THE OWNER PROVIDED THE CHANGES ARE MADE BEFORE INSTALLATION, DO NOT NECESSITATE ADDITIONAL MATERIAL, AND ARE APPROVED BY THE ENGINEER.

2. THIS CONTRACTOR SHALL BE RESPONSIBLE FOR A THOROUGH KNOWLEDGE OF THE ARCHITECTURAL AND STRUCTURAL PLANS, DETAILS AND SPECIFICATIONS, AND WITH ANY OBSTRUCTIONS AND DIFFICULTIES THAT WILL HAVE TO BE OVERCOME DUE TO THE NATURE AND TYPE OF THE STRUCTURE AND CONSTRUCTION. NO EXTRAS TO THE CONTRACT TO BE ALLOWED FOR ANY ADDITIONAL WORK CAUSED BY CONDITIONS WITH WHICH THIS CONTRACTOR SHOULD HAVE BECOME FAMILIAR.

5. DISCREPANCIES

1. BIDDERS AND/OR CONTRACTOR FINDING DISCREPANCIES IN OR OMISSIONS FROM THE DRAWINGS, SPECIFICATIONS OR OTHER DOCUMENTS, OR HAVING DOUBTS AS TO THE MEANING OR INTENT OF ANY PART THEREOF, SHALL AT ONCE NOTIFY THE CONSULTANT, WHO WILL SEND WRITTEN INSTRUCTIONS OR EXPLANATIONS TO ALL BIDDERS.

2. ADDENDA, BULLETINS OR CORRECTIONS ISSUED DURING THE TIME OF BIDDING ARE TO BE COVERED IN THE TENDER AND BECOME PART OF THE CONTRACT DOCUMENTS.

6. CO-OPERATION WITH OTHER TRADES

1. CONFER WITH ALL OTHER TRADES ENGAGED ON CONSTRUCTION AND ARRANGE ALL WORKS SO AS TO BE CARRIED OUT IN THE BEST INTERESTS OF ALL CONCERNED BEARING IN MIND THE BUILDING CONSTRUCTION AND FINISH REQUIREMENTS.

7. EXAMINATION OF SITE

1. BEFORE TENDERING, EXAMINE THE SITE AND THE LOCAL CONDITIONS AFFECTING THE WORK UNDER THIS SECTION OF THE SPECIFICATIONS, AVAILABILITY OF SPACE FOR STORAGE, AND ALL OTHER ITEMS WHICH MIGHT INFLUENCE THEIR TENDER.

2. NO ALLOWANCE WILL BE MADE LATER FOR ANY EXPENSE INCURRED THROUGH FAILURE TO MAKE THIS EXAMINATION.

8. PERMITS, FEES & CERTIFICATES

1. APPLY FOR, OBTAIN AND PAY FOR ALL PERMITS AND INSPECTIONS REQUIRED OR HEREINAFTER SPECIFIED. PROVIDE TO THE OWNER ALL CERTIFICATES NECESSARY AS EVIDENCE THAT THE WORK INSTALLED CONFORMS TO THE LAWS AND REGULATIONS OF ALL AUTHORITIES HAVING JURISDICTION.

2. ALL CHANGES AND ALTERATIONS IN WORK REQUIRED BY AUTHORITIES HAVING JURISDICTION TO BE CARRIED OUT WITHOUT CHARGE OR EXPENSE TO THE OWNER.

9. COMPLIANCE WITH CODES

1. THE WORK SHALL BE CARRIED OUT IN ACCORDANCE WITH THE LATEST REGULATIONS OF THE CANADIAN ELECTRICAL CODE AND APPLICABLE MUNICIPAL AND PROVINCIAL REGULATIONS. STANDARDS SET EITHER BY THE DRAWINGS OR SPECIFICATIONS WHICH ARE ABOVE THOSE REFERRED TO ABOVE SHALL NOT BE REDUCED UNDER ANY CIRCUMSTANCES.

10. LABOUR AND WORKMANSHIP

1. WORKMANSHIP THROUGHOUT SHALL CORRESPOND TO THE STANDARDS OF BEST PRACTICE, AND ALL LABOUR EMPLOYED MUST BE COMPETENT TO THE WORK REQUIRED. ALL UNSKILLED LABOUR SHALL BE STRICTLY SUPERVISED TO ENSURE THE PROPER CARRYING OUT OF EACH OPERATION.

11. ENGINEER'S INSTRUCTIONS AND EXTRAS

1. DURING CONSTRUCTION, THE ENGINEER MAY ISSUE SUCH INSTRUCTIONS AS MAY BE NECESSARY FOR CLARIFICATION AND CORRECTION OF THE WORK. ALL SUCH INSTRUCTIONS TO BE BINDING AS IF THE SAME WERE EMBODIED IN THESE SPECIFICATIONS.

2. WHERE EXTRA WORK IS REQUIRED, THE CONSULTANT WILL ISSUE THE NECESSARY INSTRUCTIONS FOR THE QUOTATIONS WHICH SHALL BE ITEMIZED TO SHOW UNIT MATERIAL COSTS, LABOUR COSTS, OVERHEAD, SUB-TRADE COSTS AND PROFITS.

3. ALL PAYMENTS FOR WORK DESCRIBED AS EXTRA WILL BE BASED ON THE CONSULTANTS WRITTEN DOCUMENTS CONCERNING SAME.

BASIC MATERIALS & METHODS:

1. WIRE AND CABLE

1. WIRE AND CABLE CONDUCTORS SHALL BE COPPER, OF 98% CONDUCTIVITY, INSULATED WITH 600 VOLT, RW90 CROSS-LINKED POLYETHYLENE INSULATION, MINIMUM BRANCH WIRING TO BE NO. 12 AWG RW90 COPPER, UNLESS OTHERWISE SPECIFIED. A MINIMUM OF SPICES TO BE USED.

2. PANEL AND MAJOR EQUIPMENT FEEDERS SHALL BE INSTALLED IN EMT CONDUIT C/W 'STEEL' TYPE CONNECTORS & COUPLINGS & BE C/W SEPARATE BOND CONDUCTOR.

2. OUTLET BOXES

1. EACH LIGHT, SWITCH, RECEPTACLE, TELEPHONE OR OTHER OUTLET TO BE INSTALLED IN A SUITABLE SIZED BOX. CONCEALED BOXES TO BE GALVANIZED SHEET METAL OF APPROVED TYPE. SHEET METAL BOXES TO BE WELL BEDDED AND FLUSH WITH FINISHED SURFACES.

2. SURFACE-MOUNTED BOXES TO BE EITHER TYPE 'FS' OR 'FD'.

3. COVER PLATES

1. ALL SWITCHES, RECEPTACLES, TELEPHONE AND OTHER COVERPLATES FOR RECESSED DEVICES TO BE BRUSHED STAINLESS-STEEL. COVERPLATES TO BE SINGLE OR MULTIGANG AS REQUIRED TO GROUP ALL DEVICES SHOWN IN ONE LOCATION UNDER A SINGLE PLATE.

12. GUARANTEE

1. FURNISH TO THE OWNER, THROUGH THE GENERAL CONTRACTOR AND THE ENGINEER, A WRITTEN GUARANTEE COVERING THE MATERIALS AND WORKMANSHIP AND FREE SERVICE FOR ONE YEAR FROM DATE OF FINAL ACCEPTANCE OF THE ENTIRE CONTRACT.

2. THIS GUARANTEE SHALL ENTAIL THE REPAIR OR REPLACEMENT OF ALL MATERIALS INSTALLED UNDER THIS DIVISION WITHOUT CHARGE TO THE OWNER EXCEPT WHERE, IN THE OPINION OF THE ENGINEER, SUCH REPAIR OR REPLACEMENT WAS CAUSED BY IMPROPER USE OR LACK OF MAINTENANCE ON THE PART OF THE OWNER.

13. PLANS FOR RECORDING CHANGES

1. OBTAIN TWO (2) SETS OF BLACK LINE PRINTS FROM THE GENERAL CONTRACTOR AND RECORD ANY ALTERATIONS OF ROUTING OF PIPING, DUCTS, ETC., TO THAT SHOWN ON THE CONTRACT DRAWINGS. THESE DRAWINGS ARE TO BE KEPT UP-TO-DATE AND TURNED OVER TO THE CONSULTANT ON COMPLETION OF PROJECT.

14. SHOP DRAWINGS

1. SUBMIT WITHIN ONE MONTH OF THE SIGNING OF THE CONTRACT, EIGHT (8) COPIES OF THE GENERAL ARRANGEMENT DRAWINGS OF ALL EQUIPMENT OR MATERIALS PROPOSED TO BE INSTALLED. THESE DRAWINGS MUST GIVE SUFFICIENT INFORMATION, DETAILS AND DIMENSIONS SO THAT THE ENGINEER CAN BE ASSURED THAT THE INTENT OF THE SPECIFICATIONS IS BEING MET. THE ENGINEER'S REVIEW OF SUCH DRAWINGS OR OF THE REVISED DRAWINGS, SHALL NOT RELIEVE THE CONTRACTOR FROM RESPONSIBILITY FOR ERRORS CONTAINED IN THE SAID CONTRACTOR'S DRAWINGS, OR THEIR NOTIFICATION TO THE ENGINEER OR BOTH. NO EQUIPMENT SHALL BE ORDERED UNTIL APPROVAL FOR SAME HAS BEEN RECEIVED.

2. FINAL APPROVAL WILL NOT BE GIVEN UNTIL THE COMPLETE SYSTEM IS PROVEN SATISFACTORY IN OPERATION AND MEETS THE REQUIREMENTS OF THE SPECIFICATIONS.

15. CLEAN-UP

1. ON COMPLETION OF THE WORK, REMOVE FROM THE PREMISES ALL SURPLUS MATERIALS AND ALL DEBRIS RESULTING FROM THE OPERATIONS AND LEAVE THE SITE IN A NEW CLEAN CONDITION. CLEAN AND POLISH ALL COMPLETED SURFACES, INCLUDING LIGHT FIXTURE LENSES.

16. INSTRUCTIONS OF OPERATION

1. INSTRUCT THE OWNER'S OPERATOR IN THE CARE, MAINTENANCE AND OPERATION OF THE ELECTRICAL SYSTEM.

2. THE ELECTRICAL CONTRACTOR SHALL OBTAIN FROM THE MANUFACTURER OF EACH ITEM OF EQUIPMENT, ALL PERTINENT INSTALLATION, OPERATION AND MAINTENANCE INSTRUCTIONS, INCLUDING DIAGRAMS, CHARTS AND PARTS LISTS.

3. THE MANUFACTURER'S DATA SHALL BE BOUND IN HARDCOVER POST-TYPE BINDERS OF A SIZE LARGE ENOUGH TO ADEQUATELY PROTECT THE CONTENTS.

4. INFORMATION TO BE INCLUDED IN THE MANUFACTURER'S DATA TO BE BASED ON THE FOLLOWING REQUIREMENTS:

A. OPERATION OR MAINTENANCE INSTRUCTIONS SHALL BE SUFFICIENTLY DETAILED WITH RESPECT TO DESIGN ELEMENTS, CONSTRUCTION FEATURES AND COMPONENT FUNCTION AND MAINTENANCE REQUIREMENTS TO PERMIT EFFECTIVE OPERATION, MAINTENANCE, REPAIR, MODIFICATION, EXTENSION AND EXPANSION OF ANY PORTION OF THE FEATURES OF THE INSTALLATION.

B. TECHNICAL DATA SHALL BE IN THE FORM OF APPROVED SHOP DRAWINGS, BULLETINS, TECHNICAL DESCRIPTIONS OF ITEMS AND PARTS LISTS. ADVERTISING OR SALES LITERATURE WILL NOT BE ACCEPTED.

C. SHOP DRAWINGS OF MANUFACTURER'S DATA TO BE FORWARDED TO THE ENGINEER FOR REVIEW, APART FROM THOSE SHOP DRAWINGS SUBMITTED WELL BEFORE TERMINATION OF THE CONTRACT SO THAT PROVISION OF MANUFACTURER'S DATA WILL NOT BE DELAYED. A SUFFICIENT NUMBER OF PRINTS SHALL BE SUBMITTED TO PROVIDE ONE FOR EACH BOUND COPY OF MANUFACTURER'S DATA. THREE (3) COMPLETE SETS TO BE TURNED OVER TO THE ENGINEER ON COMPLETION OF THE CONTRACT.

D. SITE RECORD DRAWINGS TO SHOW INTERCONNECTION OF MECHANICAL AND ELECTRICAL COMPONENTS, ACCORDING TO THE DESIGNED INSTALLATION.

17. IDENTIFICATION

1. ALL ELECTRICAL DEVICES SHALL BE IDENTIFIED AS PER THE NAMEPLATE SCHEDULES ON THIS DRAWING.

18. CUTTING AND PATCHING

1. THE ELECTRICAL CONTRACTOR SHALL, UPON REQUEST, PROVIDE ALL NECESSARY DETAILS AND INFORMATION TO ACQUAINT THE GENERAL CONTRACTOR WITH THE SCOPE AND PARTICULARS OF CUTTING, PATCHING AND LOCATION OF SLEEVES RELATIVE TO HIS WORK. CUTTING AND PATCHING SHALL BE PERFORMED BY THE ELECTRICAL CONTRACTOR FOR OPENINGS 4" OR SMALLER, AND BY THE GENERAL CONTRACTOR FOR OPENINGS LARGER THAN 4".

19. GROUNDING

1. ALL EQUIPMENT AND EXPOSED NON-CURRENT CARRYING METAL, CONDUITS AND PARTS TO BE PERMANENTLY AND EFFECTIVELY GROUNDED TO MEET MINIMUM REQUIREMENTS OF THE C.E.C. SECTION '10', AND AS INDICATED ON DRAWINGS AND FURTHER SPECIFIED. STANDARDS SET EITHER BY DRAWINGS OR SPECIFICATIONS WHICH ARE ABOVE THOSE COVERED BY THE C.E.C. SECTION '10' ARE NOT TO BE REDUCED UNDER ANY CIRCUMSTANCES.

20. INSPECTIONS & TESTS

1. ALL WORK TO BE LEFT OPEN FOR INSPECTION AND THE ENGINEER SHALL BE NOTIFIED SO THAT INSPECTION MAY BE MADE BEFORE THE WORK IS COVERED.

21. DEMOLITION

1. THE ELECTRICAL CONTRACTOR IS RESPONSIBLE FOR REMOVAL AND DISPOSAL OF ANY ELECTRICAL EQUIPMENT NOT BEING RESUED.

22. FINALLY

1. NOTHING CONTAINED HEREIN TO BE CONSTRUED AS RELIEVING THE CONTRACTOR FROM MAKING HIS WORK GOOD AND PERFECT IN ALL THE USUAL DETAILS OF CONSTRUCTION, AND HE WILL BE HELD RESPONSIBLE TO PROVIDE ALL MATERIALS, TO DO ALL WORK AND BEAR ALL EXPENSES INCIDENT TO THE SATISFACTORY COMPLETION OF WORK EMBRACED IN THESE SPECIFICATIONS.

IDENTIFICATION:

1. ALL SWITCHBOARDS, PANELS, DISCONNECT SWITCHES, RECEPTACLES, VOICE/DATA AND CABLE TV OUTLETS, MCC'S, TRANSFORMERS, CONTROL PANELS, MAGNETIC STARTERS, T.O.'S TIME CLOCKS, ARE TO BE PROVIDED WITH 'LAMICOID' NAMEPLATES AS DESCRIBED FURTHER. CARE IS TO BE TAKEN TO ENSURE THAT ALL PLATES ARE AFFIXED TRUE AND LEVEL, AND PLUMB IN ALL INSTANCES.

2. NAMEPLATES ARE TO BE AFFIXED TO ALL 'METAL' SURFACES WITH METAL 'POP-RIVETS'.

3. NAMEPLATES ARE TO BE AFFIXED TO ALL OTHER TYPES OF SURFACES WITH CONTACT TYPE CEMENT.

4. NAMEPLATES ARE TO BE AFFIXED TO BUILDING 'EXTERIOR' SURFACES WITH NYLON INSERTS AND SELF-TAPPING SCREWS UNLESS SPECIFICALLY DIRECTED OTHERWISE.

5. CONTACT TYPE CEMENT IS TO BE APPLIED (BUTTERED) TO 'COMPLETE' REAR SIDE OF PLATE, AS OPPOSED TO SEVERAL POINTS OR LOCATIONS ON SAME.

6. LAMICOID NAMEPLATES INSTALLED ON DISTRIBUTION PANELBOARDS, MOTOR CONTROL CENTERS, SPLITTER TROUGH, TRANSFORMERS, SHALL INDICATE THE FOLLOWING:

DESIGNATED NAME OF EQUIPMENT/
AMPERAGE OF OVERCURRENT PROTECTION DEVICE
VOLTAGES, NUMBER OF PHASES AND WIRES
DESIGNATION OF POWER SOURCE

7. LAMICOID NAMEPLATES INSTALLED ON COMBINATION STARTERS, MAGNETIC STARTERS, MANUAL STARTERS AND ALL VARIOUS SYSTEM CONTROLS, CONTROL PANELS, DISCONNECT SWITCHES, SHALL INDICATE THE FOLLOWING:

DESIGNATED NAME OF EQUIPMENT
DESIGNATION OF POWER SOURCE/BRANCH CIRCUIT NO.
(WHERE POSSIBLE)
VOLTAGES AND PHASE

8. LAMICOID NAMEPLATES INSTALLED ON FUSIBLE TYPE DISCONNECT SWITCHES ARE ALSO TO INDICATE 'MAXIMUM' FUSE SIZE, WHERE SIZE SMALLER THAN ACTUAL RATED SWITCH SIZE.

9. LAMICOID NAMEPLATES ARE TO BE INSTALLED ON ALL JUNCTION AND/OR PULL BOXES SIZED 6" X 6" AND LARGER INDICATING NAME OF SYSTEM, DESIGNATED PANEL NAME AND ELECTRICAL CHARACTERISTICS WHERE POSSIBLE.

10. LAMICOID NAMEPLATES ARE TO BE INSTALLED ADJACENT TO EACH OVERCURRENT DEVICE LOCATED IN SWITCHBOARDS, COP PANELS, MCC'S ETC... THEY NEED ONLY INDICATE DESIGNATED NAME AND/OR NUMBER OF EQUIPMENT THEY FEED. EACH UNUSED OR SPARE OVERCURRENT DEVICE IS TO BE IDENTIFIED WITH A 'LAMICOID' PLATE INDICATING IT AS BEING A 'SPARE'.

11. INSTALL AN ADDITIONAL 'LAMICOID' NAMEPLATE ON ALL OR ANY PIECE OF ELECTRICAL EQUIPMENT, OR APPARATUS, I.E. MAIN SWITCHBOARD, COP PANELS, PANELBOARDS, MCC'S, THAT MAY CONTAIN OVERCURRENT DEVICES, I.E. CIRCUIT BREAKERS AND/OR FUSES, THAT HAVE BEEN DESIGNED FOR, AND INCORPORATE INTERRUPTING CAPACITY SIZED 'LARGER' THAN 10KAIC.

12. ALLOW FOR AN 'AVERAGE' OF 40 LETTERS FOR EACH LAMICOID NAMEPLATE.

1. LAMICOID 1/8" THICK PLASTIC ENGRAVING SHEET, BLACK FACE, WHITE CORE, FOR ALL ELECTRICAL SYSTEMS EXCEPT FIRE ALARM AND EMERGENCY POWER SYSTEMS WHICH SHALL HAVE RED FACE WITH WHITE CORE (1/8" WHERE SECURED TO METALS)

2. 1/16" THICK NAMEPLATES ABOVE RECEPTACLE AS PREVIOUSLY INDICATED, WITH TOP LEFT AND RIGHT CORNERS ROUNDED OFF (1/16" WHERE NOT APPLIED TO METALS)

3. LETTERING ON LAMICOID NAMEPLATES SHALL NOT 'START', NOR 'END' NEARER THAN 1/2" FROM EITHER, OR BOTH ENDS OF SAID PLATES. SIZE OF LETTERING, INCLUDING OVERALL LENGTHS OF VARIOUS PLATES SHALL BE AS INDICATED IN FOLLOWING CHART:

SIZE 1	- 3/8" x 2"	- 1 LINE	- 3/16" LETTERS
SIZE 2	- 1/2" x 3"	- 1 LINE	- 1/4" LETTERS
SIZE 3	- 5/8" x 3"	- 2 LINES	- 3/16" LETTERS
SIZE 4	- 3/4" x 3.5"	- 1 LINE	- 1/8" LETTERS
SIZE 5	- 1.5" x 3.5"	- 2 LINES	- 1/2" LETTERS
SIZE 6	- 1" x 4"	- 1 LINE	- 1/2" LETTERS
SIZE 7	- 1" x 4"	- 2 LINES	- 1/4" LETTERS
SIZE 8	- 2" x 6"	- 3 LINES	- 1/2" LETTERS

13. LABELLING OF ALL BRANCH CIRCUIT PHASE AND NEUTRAL CONDUCTORS IS TO BE DONE ON BOTH ENDS OF ALL CIRCUIT CONDUCTORS, PLUS IN ALL JUNCTION AND/OR PULL BOXES LOCATED IN BETWEEN. USE WRITE-ON, SELF LAMINATING LABELS SIZED AS NECESSARY. TO BE INSTALLED IN A 'FLAGGED' MANNER AROUND INDIVIDUAL CONDUCTOR(S).

14. COVERPLATES FOR JUNCTION AND/OR PULL BOXES LOCATED ABOVE OR WITHIN FINISHED CEILINGS CONTAINING BRANCH CIRCUITS ARE TO HAVE EACH BRANCH CIRCUIT NUMBER NEATLY IDENTIFIED ON COVERPLATE. FELT MARKER-PEN MAY BE USED FOR THIS PURPOSE.

15. ALL OF THE FOLLOWING CONDUCTORS ARE TO HAVE THEIR 'INSULATION' COLOURS IDENTIFIED AS INDICATED:

PHASE (A)	- RED
PHASE (B)	- BLACK
PHASE (C)	- BLUE
NEUTRAL	- WHITE/GREY
BOND	- GREEN
GROUND	- GREEN
ISOLATED GROUND	- GREEN C/W YELLOW STRIPE

1. COLOUR CODED 'CONDUCTOR INSULATION' AS PER THE FOLLOWING:

1. ALL SIZES OF PHASE CONDUCTORS UP TO AND INCLUDING #2 AWG.

2. ALL SIZES OF NEUTRAL, BOND AND/OR GROUND CONDUCTORS UP TO AND INCLUDING #3/0 AWG.

2. APPROVED COLOURED TAPES IN LIEU OF INSULATION COLOURING MAY BE USED TO IDENTIFY CONDUCTORS THAT EXCEED SIZES AS PREVIOUSLY INDICATED. TO TAKE PLACE ON 'BOTH ENDS' OF ALL RUNS. A MINIMUM OF 12" FROM WHERE TERMINATIONS TAKE PLACE, IN ADDITION TO WITHIN ALL OR ANY BOXES LOCATED BETWEEN BOTH ENDS OF RUNS.

16. EXAMPLES OF 'GROUPED' ELECTRICAL EQUIPMENT THAT COULD HAVE IDENTICAL TYPE OF REMOVABLE COVERS, THAT WILL REQUIRE THEIR LAMICOID NAMEPLATES INSTALLED ON WALL(S) ADJACENT TO CONTROL, RATHER THAN DIRECTLY TO THEIR COVERS (THIS IS TO AVOID THE POSSIBILITY OF COVER MIX-UP OCCURRING) ARE MAGNETIC STARTERS, MAGNETIC CONTACTORS, MANUAL T.O.L. SWITCHES AND RELAYS.

17. LAMICOID NAMEPLATES SHALL BE PROVIDED AND INSTALLED ON, OR ADJACENT TO, ALL VARIOUS SYSTEMS' CONTROL PANELS AND/OR CABINETS C/W INFORMATION AS INDICATED. NAMEPLATES ARE TO REFLECT INDIVIDUAL SYSTEM'S ASSIGNED NAME, AND WHERE APPLICABLE, SHALL ALSO INDICATE BOTH DESIGNATED PANEL NAME AND ASSOCIATED BRANCH CIRCUIT BREAKER NUMBER(S).

1. FIRE ALARM PANELS
2. SECURITY (INTRUSION) PANELS
3. ENERGY MANAGEMENT PANELS
4. PUBLIC ADDRESS PANELS
5. TELEVISION PANELS
6. GYMNASIUM SOUND PANELS
7. COMMUNICATION PANELS
8. LOW VOLTAGE LIGHTING RELAY PANELS


18. ALL VARIOUS PIECES OF MECHANICAL EQUIPMENT ARE TO BE IDENTIFIED WITH 'IDENTICAL' INFORMATION AS INDICATED ON ELECTRICAL EQUIPMENT LAMICOID NAMEPLATE FEEDING AFORESAID MECHANICAL EQUIPMENT. BOTH 'LAMICOID' NAMEPLATES ARE TO BE SUPPLIED AND INSTALLED BY THE ELECTRICAL CONTRACTOR IN THE ABSENCE OF ANY MECHANICAL TRADE IDENTIFICATION.

19. BONDING CONDUCTORS REQUIRE LABELLING ON BOTH ENDS OF RUNS WHERE THEY ARE 'DEDICATED' SOLELY TO THE DESIGNATED BRANCH CIRCUIT THEY ACCOMPANY. IDENTIFY WITH SAME NUMBER(S) AS BEING USED TO IDENTIFY ACCOMPANYING BRANCH CIRCUIT PHASE(S) AND NEUTRAL CONDUCTOR(S).

20. A LEGEND OF COLOUR CODING USED IS TO BE PROVIDED UNDER PLEXIGLASS AND LOCATED IN THE MAIN




KEY PLAN



LOGO

MCW Maricor
7051 BAYERS ROAD, UNIT 102
HALIFAX, NS, B3L 2C1
BUS: (902) 876-3182 FAX: (902) 876-2796
WWW.MCW.COM ENG. JOB NO. 10-13-019



2014/02/07		FOR TENDER
2013/11/21		FOR REVIEW
DATE	MARK	ISSUE

SCALE	AS NOTED
DRAWN BY:	DWL
CHECKED BY:	DC
REVIEWED BY:	TL
APPROVED BY:	-
AS-BUILT CHECK	
DATE:	NOV. 2013
PROJECT	COLE HARBOUR HIGH SCHOOL DUST COLLECTION REMEDIATION COLE HARBOUR, NS
PROJECT NO.:	10-13-019
SHEET TITLE	DUST COLLECTION ELECTRICAL SPECIFICATIONS

E-102- P1

Date: February 7, 2014

Cole Harbour District High School
Halifax Regional School Board

Dust Collector Tag	DC-1
Air Flow Capacity (CFM)	4,000
External Static Pressure (in. w.c.) (Not including filters, fan discharge, etc.)	10.2
Motor Horsepower (HP)	15
Electrical Characteristics	208/3/60
Soft Start Capabilities	VFD
Special Vent Requirements	Flameless Vent, c/w vent sensor, dust cover, supports and accessories.
Discharge Silencer	Required
Inlet/Vent Arrangement (see below)	2
